MAINTENANCE AND REPAIR PROCEDURE FOR SHELTERS, ELECTRICAL EQUIPMENT

S-141/G AND S-141 B/G

(NSN 5410-00-752-9698);

S-144/G, S-144A/G, S-144B/G, S-144 C/G

AND S-144D/G

(NSN 5410-00-542-2532);

S-250/G (NSN 5410-00-999-4935);

S-250/G (SHIELDED)

(NSN 5410-00-489-6076);

S-280/G (NSN 5410-00-999-5269);

S-280 A/G (NSN 5410-00-999-6022);

S-280 B/G (NSN 5410-00-117-2868);

S-280 B/G (SHIELDED)

(NSN 5410-00-001-4093);

S-318/G (NSN 5410-00-763-2339);

AND

S-318A/G (NSN 5410-00-116-7086)

HEADQUARTERS DEPARTMENT OF THE ARMY 5 JUNE 1979

This copy is a reprint which includes current pages from Changes 1 through 3.

Change No. 3

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C.

22 June 1988

MAINTENANCE AND REPAIR PROCEDURE FOR SHELTERS, ELECTRICAL EQUIPMENT S-141/G AND S-141 B/G (NSN 5410-00-752-9698); S-1441G, S-144A/G, S-144 B/G, S-144 C/G AND S-144 D/G (NSN 5410-00-542-2532); S-250/G (NSN 5410-00-999-4935); S-250/G (SHIELDED)(NSN 5410-00-489-6076); S-250 E/G (NSN 5411-01-248-5353); S-280/G (NSN 5410-00-999-5269): S-280 A/G (NSN 5410-00-999-6022); S-280 B/G (NSN 5410-00-117-2868); S-280 B/G (SHIELDED)(NSN 5410-00-001-4093); S-280 C/G S-31 8/G (NSN 5410-00-763-2339); AND S-31 8A/G (NSN 5410-00-116-7086)

TB43-0124, 5 June 1979, is changed as follows: The title is changed as shown above.

Page 3. paragraph 1 is superseded as follows:

1. Scope. This technical bulletin covers the requirements for repair and overhaul of basic shelters, Electrical Equipment S-141()/G, S-144()/G, S-280()/G, and S-318()/G. Additional information covers the S-250/G and S-250 E/G shelters being fitted on the HMMWV (High Mobility Multipurpose Wheeled Vehicle). When operated with the S-250 shelter installed, the HMMWV is known as the M1037 S250 shelter carrier. A modified version, the M 1037 S250 MSE shelter carrier, offers an extended shelter support to handle the mounting and operational needs of the 250E shelter.

Page 3 paragraph 2 line 5 TM 38-750 is changed to read DA PAM 738-750.

Page 3. Paragraph 3(b) is superseded as follows:

b. Dimensions of the shelters are as follows:

	Vehicle	Maximum	Outside	Dimensions(inches)
Shelter type no.	(ton)	length	width	height
S-141()/G	2 1/2	144	81	82
S-280()/G	2 1/2	147	87	83 3/8
S-250()/G	1 1/4	86 7/8	79 5/16	70 1/2
S-250/G	1 1/4 HMMWV	86 7/8	79 5/16	70 1/2
S-250E/G	1 1/4 HMMWV	98 7/8	79 5/16	70 1/2
S-144()/G	1 1/4 or 3/4	77	61	63 1/4
S-318()/G	1 1/4 or 3/4	77	72 1/2	70 3/8

1

Page 7, Table is superseded as follows:

Shelter	Truck	Procedure
S 141()/G S 144()/G S 144()/G S 250()/G S 250()/G S 250()/G S 250/G S 250E/G S 280()/G S 318()/G S 318()/G	2 1/2 ton 3/4 ton 1 1/4 ton (M561 or M715) 1 1/4 ton (M561) 1 1/4 ton (M715) 1 1/4 ton (M880) 1 1/4 ton HMWWV 1 1/4 ton HMWWV 2 1/2 ton 3/4 ton 1 1/4 ton (M561 or M715)	Para 5b(3) Para 5b(4) TB 11-2300-374-14-1 TB 11-2300-372-14 Para 5b(5) SR-11-640 & Para 5b(6) Para 7(a) Para 5b(3) Para 5b(4) TB 11-2300-374-14-1
0 0 . 0 ()/ 0		

Page 10, Para 5b. Add subparagraph (7) after (6) (i) as follows:

(7) Secure S-250E/G and S-250/G shelter on M-1037 1-1/4 ton HMMWV truck as follows:

NOTE

Tailgate operation, S-250 E/G (fig. 4.1.).

- Lowering tailgate. Remove two short chain hooks and long chain hooks from tailgate brackets and lower tailgate.
- (2) Placing tailgate in loading position. Remove two short chain hooks from brackets, install long chain hooks in brackets, and place tailgate in loading position.
- (3) Raising tailgate. Raise tailgate and secure in position with two short chain hooks and long chain hooks to brackets.

Tailgate operation S-250/G (fig. 4.1.).

- Lowering tailgate. Remove two tailgate chain hooks securing tailgate to rear of vehicle body. Lower tailgate.
- (2) Raising tailgate. Raise tailgate and secure to rear of vehicle body with two tailgate chain hooks.
- (a) Lower truck tailgate and place in loading position.
- (b) Position lifting device over top of shelter (fig. 4.2.).
- (c) Connect slings to lifting device and four corners of shelter.
- (d) Install mounting bracket on each corner of shelter and secure with capscrew, lockwasher, and washer. Do not tighten capscrew until shelter is installed (fig. 4.3.).
- (e) Position shelter over support and gradually lower shelter onto support (fig. 4.2.).




Figure 4.1. HMMWV Tailgates




Figure 4.2. S-250E/G Shelter and M-1037 Bed Tailgate




Figure 4.3. M-1037 Shelter Mounting Bracket

NOTE

Shelter should be tightly fitted to front of support. Shims should only be added to rear shelter mounts.

- (f) Position shelter to support front mounting points. Secure shelter to front of support with four bolts, lockwashers, washers, and two reinforcements. Tighten capscrews to 60 ft-lb (81 n-m). Tighten bolts to 90 ft-lb (122 n-m).
- (g) Secure rear of shelter to support with four bolts, lockwashers, washers, and two reinforcements. Do not tighten capscrews.
- (h) Add shims as necessary to rear shelter mounts to ensure snug fit between mounting brackets and support Tighten capscrews to 60 ft-lb (81 n-m). Tighten bolts to 90 ft-lb (122 n-m).
- (i) Disconnect sling from shelter,
- (j) Raise and secure tailgate. Figure 4.4. shows S-250 and S-250E shelters mounted on HMMWVS.

Page 10, Para 5c(2) Paragraph c(2) is superseded as follows:

(2) S-144()/G, S-250/G, S-250E/G, and S-318() G shelters can be shipped in ANSI/ISO containers only when crated or pallet mounted. Crates or pallets must be securely blocked in ANSI/ISO container to prevent movement during transit.

Page 10. Paragraph 7(a) is superseded as follows:


7. Accessories.

a. Boarding ladders. The following vehicle boarding ladders are available for use with truck-mounted shelters:

SHELTER	TRUCK	LADDER
S-144()/G, S-250/G, S-250E/G, S-318()G	3/4 & 1-1/4 ton	M-3543/G (NSN 2540-00-846-8483)
S-141 ()/G, S-280()/G	2-1 /2 ton	M-3391/G (NSN 2540-00-892-6243)

CAUTION

The M-1037 MSE shelter carrier is specifically designed to be operated with the S-250 shelter installed. It can be driven safely without shelter installed, or equivalent payload, for short distances (e.g., to and from maintenance or from railhead when being delivered). This should not be done often or for long distances. Driving for long distances without shelter installed, or equivalent payload, causes rear half-shaft constant velocity joints to wear more than they normally would in loaded position.



A. HMMWV WITH S-250E SHELTER




Figure 4.4. S-250 Shelters Mounted on HMMWVS

Page 15. Paragraph 21 is superseded as follows:

- 21. Replacing EMI filters on S-250/G, S-250E/G, S-280()/G, and S-318()/G shelters. When the replacement of an EMI filter is necessary the following shall apply:
 - a. Remove threaded fasteners securing filter in place (rivets secure filter in S-31 8()/G shelter).
 - b. Remove filter and wire mesh tape.
 - c. Clean surfaces of paint, remove excess adhesive and foreign matter.
 - d. Install new wire mesh tape on all surfaces between flange on frame and filter.
 - e. Using holes in flange as a template, drill and fasten new filter in place with screws, nuts, and lockwashers (use rivets when securing filters in S-318()/G).
 - f. Seal outer edges of joints between filter and flange with sealant, item 14 or item 15 in paragraph 24b.
 - g. An EMI Modification Kit, MK-1092()/G, is available to service EMI filters on S-250/G and S-250E/G shelters. Kit part number is DL-SM-B-649950.

Page 15. Paragraph 22 is superseded as follows:

- 22. Replacing EMI shielding gasket on S-250/G, S-250E/G, S-280()/G, and S-318()/G shelters. When replacement of the EMI shield is necessary, the following shall apply:
 - a. Remove damaged shield, and clean surface of paint and foreign matter.
 - b. Install new EMI shield, making sure that shield shape at comers is as shown in figure 5.
 - c. The telescoped joints (fig. 6) shall be approximately midway up hinge side of door and emergency exit.
 - d. The procedure for making a telescoped joint in the EMI shield (fig. 6) is as follows:

NOTE

When cutting a shield, allow an additional 2 inches to overall length for the telescoped joint.

- (1) On one end of shield, pull back layers 5 and 4 approximately 2-1/2 inches and cut 2 inches off layers 3, 2, 1, and sponge core.
- (2) On other end, pull back layer 5 and cut 2 inches off layer 4.
- (3) Join ends together as shown in figure 6.

Page 29, paragraph 34 is superseded as follows:

34. Marking shelter. Stencil the following warning notice on all sides of the S-141()/G, S-144()/G, S-250/G, and S-250 E/G shelters, near the bottom of the shelter, in conformance with MIL-M-13231:

DO NOT HANDLE WITH FORKLIFT

This notice cannot be stenciled on S-280()/G or S-318()/G shelters as they are designed specifically for forklift handling.

Page 32, paragraph 37 is superseded as follows:

37. Painting. a. Shelter exterior and door interior. When the exterior of any shelter or the interior of the door is repainted, the paint to be used, regardless of the original paint system shall be the alkyd enamel camouflage paint identified in this paragraph. When repainting an S 250()/G, S-280()/G, or S-318()/G shelter, which has an instruction plate directing the use of MIL-E-46061 enamel, the instruction plate should be painted over. For instruction plates on the S-250/G and S-250/E/G shelters, refer to MIL-C-46168 enamel. Paint to be used for repainting of shelters is as follows:

Page 35, Paragraph 38c (1) table is superseded as follows:

Shelter	Tensile load (lb) (kg)		
S-141()/G bearing order number prior to 1963	8,000	3,636	
S-141()/G bearing order number after 1963	11,000	5,000	
S-144()/G	3,000	1,364	
S-250/G	5,000	2,273	
S-250E/G	5,000	2,273	
S-280()/G	11,000	5,000	
S-280()/G where pull involves towing eye	8,000	3,636	
S-318()/G	3,000	1,364	

Page 35, Para 38c(2) table is superseded as follows:

Shelter	Tensile (lb) (kg	
S-141()/G bearing order number		
prior to 1963	8,000	3,636
S-141 ()/G bearing order number		
after 1963	11,000	5,000
S-144()/G	3,000	1,364
S-250/G	5,000	2,273
S-250E/G	5,000	2,273
S-280()/G	8,000	3,636
S-318()/G	3,000	1,364

Page 37. Para 38d(4) (a) table is superseded as follows:

		Maximum Operating	Torque	
	(ft-lb)		(kgf-m)	
	Without EMI	With EMI		
Door	capability	capability		
S-141()/G	(see note	(see note		
	below)	below)		
S-144()/G	(see note	(see note		
	below)	below)		
S-250/G small door	10	20	1.38	2.76
S-250/G large door	15	25	2.07	3.46
S-250E/G small door	10	20	1.38	2.76
S-250 E/G large door	15	25	2.07	3.46
S-280()/G	15	30	2.07	4.14
S-318()/G small door	15	20	2.07	2.76
S-318()/G large door	15	30	2.07	4.14

Page 38, Paragraph 38d (5) is superseded as follows:

- (5) Lifting and tiedown provisions. Each shelter shall include the appropriate lifting and tiedown provision as follows:
- (a) S-141()/G and S-280()/G shelters. These shelters shall be provided with a multiple leg sling, SC-D-36423 (NSN 5410-06-805-5533).
- (b) S-144()/G shelter. The S-144()/G shelter shall be provided with a multiple leg sling SC-C-363O2 (NSN 5410-00-774-6108).
- (c) S-250/G shelter. The S-250/G shelter shall be provided with a multiple leg sling, SM-D-649952 (NSN 3940-00-115-6380).
- (d) S-250E/G shelter. The S-250E/G shelter shall be provided with a multiple leg sling, SM-D-649952 (NSN 3940-00-115-6380).
- (e) S-3180()/G shelter. The S-318()/G shelter shall be provided with a multiple leg sling SM-B-564739 (See Note 4 on this drawing).

Appendix A

add:

Appendix A, Para 8f, TM 38-750 is changed to read, DA PAM 738-750.

Appendix A, 8.g. is added TM 9-2320-359-12&P, Operator and Organizational Maintenance Manual including Repair Parts and Special Tools List (RPSTL) for Mobile Subscriber Equipment-used on Truck, Utility, S-250 Shelter Carrier, 4x4, M-1037, NSN 2320-01-146-7193.

By Order of the Secretary of the Army:

CARL E. VUONO General, United States Army Chief of Staff

Official:

R. L. DILWORTH

Brigadier General, United States Army The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-34C, TB requirements for Maint & Repair of Electric Equipment Shelters.

CHANGE No. 2

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, DC, 28 August 1980

MAINTENANCE AND REPAIR PROCEDURE FOR SHELTERS, ELECTRICAL EQUIPMENT
S-141/G AND S-141 B/G (NSN 5410-00-752-9698); S-144/G, S-144A/G, S-144B/G, S-144C/G AND S-144D/G (NSN 5410-00-542-2532); S-250/G (NSN 5410-00-999-4935); S-250/G (SHIELDED) (NSN 5410-00-489-6076); S-280/G (NSN 5410-00-999-5269); S-280A/G (NSN 5410-00-999-6022); S-280 B/G (NSN 5410-00-117-2868); S-280 B/G (SHIELDED) (NSN 5410-00-001 -4093); S-280C/G S-318/G (NSN 5410-00-763-2339); AND S-318A/G (NSN 5410-00-116-7086)

TB 43-0124, 5 June 1979, is changed as follows: The title is changed as shown above.

Page 19. Item 13 is changed as follows: Change the first sentence to read: "Pop" Rivet 1/8 diameter 0.125 to 0.1875 grip aluminum, closed end (NSN 5320-00-882-8388).

Item 14 is changed as follows: Add after RTV-102 White (least preferred); For unexposed

areas, you may use Paintable Silastic (White) RTV 8644, Dow Corning.

Page 35, Paragraph d(1) is superseded as follows:

(1) *Lubrication.* All vent hinges and door mechanisms shall be lubricated with MIL-L-4616 oil. Those parts not properly functioning after lubrication should be disassembled, cleaned, and lubricated as instructed in paragraph 14.

E. C. MEYER

General, United States Army Chief of Staff

Official:

J. C. PENNINGTON

Major General, United States Army The Adjutant General

DISTRIBUTION: Active Army:

Active Army:			
HISA (Ft Monmouth) (21)	USAERDAW (1)	6-406	11-39
USAINSCOM (2)	Ft Gordon (10)	6-407	11-85
COE (1)	Ft Carson (5)	6-425	11-86
TSG (1)	Army Dep (1) except	6-426	11-95
USAARENBD (1)	SAAD (30)	6-427	11-97
DARCOM (1)	TOAD (14)	6-455	11-117
TRADOC (2)	SHAD (2)	6-456	11-127
OS Maj Comd (4)	Ft Gillem (10)	6-457	11-500(AA-AC)
TECOM (2)	USA Dep (1)	6-525	17
USACC (4)	Sig Sec USA Dep (1)	6-526	29-41
MDW (1)	Ft Richardson (CERCOM Ofc) (2)	6-555	29-85
Armies (2)	Units org under fol TOE:	6-556	29-86
Corps (2)	(2 copies each unit)	6-575	29-87
Svc Colleges (1)	29-207	6-576	29-134
USASIGS (5)	29-610	6-577	29-136
USAADS (2)	(1 copy each unit)	6-615	32-56
USAFAS (2)	1-207	6-616	32-57
USAARMS (2)	1-258	6-617	32-78
USAIS (2)	5-112	7	32-500
USAES (2)	6-200	11-15	44-235
USAICS (3)	6-201	11-16	44-237
MAAG (1)	6-365	11-17	57
USARMIS (1)	6-366	11-35	
USAERDAA (1)	6-405	11-37	

ARNG: None USAR: None

For explanation of abbreviations used, see AR 310.50.

Change No. 1

HEADQUARTERS

DEPARTMENT OF THE ARMY Washington, DC. 12 December 1979

MAINTENANCE AND REPAIR PROCEDURE FOR SHELTERS, ELECTRICAL EQUIPMENT S-141/G AND S-141B/G (NSN 5410-00-752-9698); S-144/G, S-144A/G, S-144B/G, S-144C/G AND S-144D/G (NSN 5410-00-542-2532); S-250/G (NSN 5410-00-999-4935); S-250/G (SHIELDED) (NSN 5410-00-489-6076); S-280/G (NSN 5410-00-999-5269); S-280A/G (NSN 5410-00-999-6022); S-280B/G (NSN 5410-00-117-2868); S-280B/G (SHIELDED) (NSN 5410-00-001-4093); S-318/G (NSN 5410-00-763-2339); AND S-318A/G (NSN 5410-00-116-7086)

TB 43-0124, 5 June 1979, is changed as follows: Page 19. Item 22 is added after Item 21.

Item 22. Screw, self tapping, Phillips head, No. 10X 3/8 in. long (NSN 5305-00.234.0958).

Item 23 is added after Item 22.

Item 23. Screwdriver, No. 2 Phillips head.

Page~21. The following is added after paragraph 24e(5):

- f. Repair of skin peeling off door.
- (1) The door skin is bonded to the door with adhesive. The underlayer on door edges to which the skin is bonded is wood. In some places the wood is a solid block and in other places it is a thin 1/16 inch veneer over a .080 inch thick aluminum extrusion,
- $\hbox{$(2)$ Use a No. 20 drill (item 18) and drill} \\ 1/4 \ inch deep holes through the skin and into the }$

underlayer. Locate the holes 1/2 inch from the edge where the skin is peeling and space 1 1/2 inches apart. Drill as many holes as required. Notice if there is a solid block on the veneer and extrusion (1/4 inch will penetrate).

- (3) Squeeze adhesive (item 14) between the skin and the wooden underlayer.
- (4) Use screws (item 22) and screwdriver (item 23) where the underlayer is a solid wood block. Use pop rivets (item 13) and riveter (item 20) where there is wood veneer and extrusion. Screws can be used everywhere if the pop rivets are not available. Coat all screws and rivets with adhesive (item 14) before inserting. Fill the holes in the rivets with adhesive and wipe off all excess adhesive

E. C. MEYER

General, United States Army Chief of Staff

Official:

J. C. PENNINCTON Major General, United States Army The Adjutant General

```
Distribution:
  Active Army:
     HISA (Ft Monmouth) (21)
                                                       6-365 (1)
     USAINSCOM (2)
                                                       6-366 (1)
     COE (1)
                                                       6-405 (1)
     TSG (1)
                                                       6-406 (1)
     USAARENBD (1)
                                                       6-425 (1)
     DARCOM (1)
                                                       6-426 (1)
     TRADOC (2)
                                                       6-427 (1)
     OS Maj Comd (4)
                                                       6-455 (1)
     TECOM (2)
                                                       6-456 (1)
     USACC (4)
                                                       6-457 (1)
     MDW (1)
                                                       6-525 (1)
     Armies (2)
                                                       6-526 (1)
     Corps (2)
                                                       6-555 (1)
     HQ 7th Sig Comd (5)
                                                       6-556 (1)
     Svc Colleges (1)
                                                       6-575 (1)
     USASIGS (5)
                                                       6-576 (1)
     USAADS (2)
                                                       6-577 (1)
     USAFAS (2)
                                                       6-615 (1)
     USAARMS (2)
                                                       6-616 (1)
     USAIS (2)
                                                       6-617 (1)
     USAES (2)
                                                       7- (1)
     USAICS (3)
                                                      11-15 (1)
     MAAG (1)
                                                      11-16 (1)
     USARMIS (1)
                                                      11-17 (1)
     USAERDAA (1)
                                                      11-35 (1)
     USAERDAW (1)
                                                      11-37 (1)
     USACC-EUR (5)
                                                      11-39 (1)
     USACC-PAC (5)
                                                      11-85 (1)
     USACC-SO (5)
                                                      11-86 (1)
     Ft Carson (10)
                                                      11-87 (1)
     Ft Gillem (10)
                                                      11-95 (1)
     Ft Gordon (10)
                                                      11-97 (1)
     Ft Richardson (CERCOM Ofc) (2)
                                                      11-117 (1)
     Army Dep (1) except:
                                                      11-127 (1)
       LBAD (14)
                                                      11-500 (AA-AC) (1)
        SAAD (30)
                                                      17- (1)
        SHAD (3)
                                                      29-41 (1)
       TOAD (14)
                                                      29-85 (1)
        USA Dep (1)
                                                      29-86 (1)
        Sig Sec USA Dep (1)
                                                      29-134 (1)
  Units Org Under Fol TOE:
                                                      29-136 (1)
     29-207 (2)
                                                      32-56 (1)
     29-610 (2)
                                                      32-57 (1)
      1-207 (1)
                                                      32-78 (1)
      1-258 (1)
                                                      32-500 (1)
      5-112 (1)
                                                      44-235 (1)
      6-200 (1)
                                                      44-237 (1)
      6-201 (1)
                                                      57- (1)
```

ARNG: None.

USAR: None.

For explanation of abbreviations used, see AR 310-50.

TECHNICAL BULLETIN TO SELECTION TO SELECTION

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, DC 5 June 1979

MAINTENANCE AND REPAIR PROCEDURE FOR

REPORTING OF ERRORS

You can improve this manual by recommending improvements using DA Form 2028-2 located in the back of the manual. Simply tear out the self addressed form, fill it out as shown on the sample, fold it where shown, and drop it in the mail.

If there are not blank DA Form 2028-2 in the back of your manual, use the standard DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forward to the Commander, US Army Communications and Electronics Materiel Readiness Command, ATTN:-DRSEL-ME-MQ, Fort Monmouth, NJ 07703.

In either case, a reply will be furnished direct to you.

			Paragraph	Page
C HAPTER	I.	INTRODUCTION		
		Scope	1	3
		Forms and records	2	3
		Lightweight shelter characteristics	3	3
		Identifying features	4	3
	II.	GENERAL INFORMATION		
		Handling requirements	5	5
		Security	6	10
		Accessories	7	10
	III.	MAINTENANCE		
		Maintenance allocation	8	11
		Repair parts and special tools lists	9	11
		Skin repairs	10	11
		Welding or soldering maintenance parts	11	11
		Seriously damaged shelters	12	11
	IV.	ORGANIZATIONAL MAINTENANCE		
		Preventive maintenance	13	13
		Lubrication	14	13
		Touchup painting	15	13
		Skin repairs	16	13

^{*} This manual supersedes TB 750-240, 30 July 1969.

		Paragraph	Page
V.	DIRECT SUPPORT MAINTENANCE		
	Tools and materials required	17	15
	Damaged or worn floor tread	18	15
	Rain flaps	19	15
	Replacing damaged shelter skids	20	15
	Replacing emi filters on S-250()/G, S-280()/G, and S-318()/G shelters	21	15
	Replacing emi shielding gasket on S-250()/G, S-280()/G and S-318()/G shelters	22	15
	Calking shelter seams	23	16
	Skin repairs	24	17
	Damaged structural member	25	21
VI.	GENERAL SUPPORT MAINTENANCE		
	General	26	23
	Tools and materials required	2'7	23
	Repair of delaminated areas	28	23
	Replacing towing and lifting eyes	29	24
	Replacing rivnuts or fastening devices	30	24
	Replacing damaged shelter skids	31	24
	Skin repairs	32	25
	Damaged structural members	33	28
	Marking shelter	34	29
	Accessories	35	29
VII.	DEPOT MAINTENANCE INCLUDING DEPOT OVERHAUL STANDARDS		
	Rain flaps	36	31
	Painting	37	32
	Depot overhaul standards	38	33
APPENDIX A.	APPLICABLE REFERENCES		A-1
В.	IDENTIFYING FEATURES OF LIGHTWEIGHT SHELTERS		B-1
C.	MAINTENANCE MATERIALS		C-1
D.	MAINTENANCE TOOLS		D-1
E.	TOOL KIT, ELECTRONIC EQUIPMENT SHELTER TK-144/G		E-1

CHAPTER I

INTRODUCTION

- **1. Scope.** This technical bulletin covers the requirements for repair and overhaul of basic Shelters, Electrical Equipment S-141()/G, S-144()/G, S-250()/G, S-280()/G, and S-318()/G. Repair procedures for any additional maintenance parts of a modified lightweight shelter is provided in the applicable technical manual.
- **2. Forms and records.** *a. Reports of Maintenance and Unsatisfactory Equipment.* Maintenance forms, records, and reports which are to be used by maintenance personnel at all maintenance levels are listed in and prescribed by TM 38-750.

NOTE

Include a detailed description of the damage; clearly define the nature, extent and cause of the damage. Include sufficient detail for the recipient to determine if the damage constitutes a design deficiency or a manufacturing defect

Vehicle

Shelter type No.	(ton)
S-141()/G	2 ½
S-280()/G	2 ½
S-250()/G	1 1/4
S-144()/G	1 1/4 or 3/4
S-318()/G	1 ¼ or ¾

4. Identifying features. The lightweight shelters are fabricated by several commercial manufacturers and are used with equipment in the Area Type Com-

- which requires redesign or field modification of the shelter in question.
- b. Report of Packaging and Handling Deficiencies. Fill out and forward DD Form 6 (Packaging Improvement Report) as prescribed in AR 700-58/NAVSUPINST 4030.29/AFR 71-13/MCO P4030.29A, and DLAR 4145.8.
- c. *Discrepancy in Shipment Report (DISREP) (SF 361).* Fill out and forward Discrepancy in Shipment Report (DISREP) (SF 361) as prescribed in AR 55-38/NAVSUPINST 4610.33B/AFR 75-18/MCO P4610.19C, and DLAR 4500.15.
- **3. Lightweight shelter characteristics.** *a.* Type of construction Sandwich panels consisting of aluminum skins bonded to a foamed plastic core. Panels also contain structural members which are secured by bonding, riveting, welding, or a combination of these methods.
 - b. Dimensions of the shelters areas follows:

Maximum outside dimensions (inches)

Length	Width	Height
144	81	82
147	87	83 3/8
86 7/8	79 5/16	70 ½
77	61	63 1/4
77	72 ½	70 3/38

munication Systems and other communication systems. Examples of shelters are shown in appendix B.

CHAPTER II

GENERAL INFORMATION


5. Handling requirements. a. Lifting Procedures.

- (1) When lifting the shelter (with a crane or helicopter), be sure to use the correct lifting and tiedown assembly (sling assembly). Refer to the appropriate repair parts and special tools list for each shelter.
- (2) Be sure that the sling assembly cables are connected to the lifting eyes (with the turnbuckle ends of the cables next to the lifting eyes of the shelter before lifting. On "Craig Round Corner" S-141()/G shelters, do not attempt to lift shelter with the sling assembly cables connected to the tiedown eyes.
- (3) Slowly lift the shelter with the crane or helicopter. Do not jerk the shelter when lifting.
 - (4) Avoid swinging the shelter from side to side.
 - (5) Do not bounce or jar the shelter.
- (6) Do not attempt to butt shelters into place with a forklift. The lightweight shelters are not structurally designed for this mode of handling. If the shelter is crated, pallet-mounted, or has forklift instructions stenciled on the exterior, a forklift may be used to move the shelter.


CAUTION

If an uncrated shelter is not pallet-mounted and does not have forklift instructions stenciled on the exterior, DO NOT USE A FORKLIFT TO MOVE THE SHELTER; SLING LIFT THE SHELTER INSTEAD.

- b. Loading and Securing Shelters on Trucks.
- (1) All shelters shall be loaded onto trucks using the following general procedure (fig. 1) after preparing truck beds as maybe required.
- (a) Use the sling hooks (nearest the turn-buckles) to connect the sling assembly to the lifting eyes.
- (b) Place the sling assembly on top of the shelter.
- (c) Connect the four sling hooks to the lifting ring.
- (d) Place the lifting ring over the lifting hook of the lifting device.



A. LOADING 5-141/G AND S-280/G SHELTERS ON TRUCK.



B. LOADING S-144 ()/G, S-250()/G AND S-318()/G SHELTERS ON TRUCK.

EL5VT001

WARNING

To avoid injury to personnel and damage to the equipment, only the personnel engaged in the actual loading operation should be permitted near the truck, lifting device, and assemblage. To eliminate confusion, all instructions must come from the loading crew supervisor.

- (e) Tie a l/2-inch rope (at least 15 ft long) to each rear towing eye.
- (f) Lower the truck tailgate and make sure that all tools and all equipment have been removed from the truck body.
- (g) Position a person at the free end of each of the 1/2-inch ropes to guide the shelter.

NOTE

The entrance door of the shelter must be at the rear of the truck, and the front end of the shelter must be placed flush against the front of the truck body.

(h) Slowly lift. the assemblage from the

Shelter	Truck
S-141()/G	2 ½ ton
S-144()/G	3/4 ton
S-144()/G	1¼ ton(M561 or M715)
S-250()/G	1¼ ton (M561)
S-250()/G	1 ¹ / ₄ ton(M 715)
S-250()/G	1 ¹ / ₄ ton (M 880)
S-280()/G	2½ ton
S-318()/G	¾ ton
S-318()/G	1 ¹ / ₄ ton(M561 or M715)

- (3 Secure the S-141()/G and S 280()/G shelters on a 2% ton truck as follows:
- (a) Install the plate and eye bolt assemblies (A, fig. 2) above the center supports on the cargo bed siderails of the truck. The plate and eye bolt assembly, NSN 4030-00-956-5820, is part of the sling assembly.
- (b) Use the hooks at the farthest end from the turnbuckle, and hook the ends of the sling assembly to the tiedown eyes of the shelter.
- (c) Secure the remaining sling hooks to the appropriate eye bolts (B, fig. 2) in the tiedown plate. Make certain that the sling hooks point away from the shelter.
- (d) Tighten all turnbuckles evenly by hand; then turn each turnbuckle an additional one-half

ground to a position high enough to clear the body of the truck.

(i) Back the truck into position under the assemblage.

WARNING

All personnel must remain clear of the truck while the assemblage is being lowered into position.

- (j) The person at each of the ropes ((e) above) will guide the shelter into position and hold it while it is lowered onto the trunk body.
- (k) Remove the lifting ring from the lifting hook and disassemble the lifting ring and sling hooks. Remove the sling hooks from the lifting eyes and the 1/2-inch ropes from the rear towing eyes.
- (2) Secure the shelter to the truck according to the following procedures (some procedures require the addition of dunnage to the truck bed or the attachment of tiedown eyes prior to loading the shelter onto the truck):

Para 5b(4)
TB-11-2300-374-14-1
TB-11-2300-372-14
Para 5b(5)
SR-11-640 & Para 5b(6)
Para 5b(3)
Para 5b(4)
TB-11-2300-374-14-1

Procedure


Para 5b(3)

turn with a bar or rod inserted in the turnbuckle slot.

CAUTION

Do not overtighten the turnbuckles. Overtightening turnbuckles may tear the lifting and tie down eye assemblies from the shelter or damage either the eye assembly or the shelter.

- (e) Insert appropriate sized wooden blocks between the shelter skids and the sides of the truck bed to prevent sideway movement strain on the sling assembly cables.
- (f) Insert appropriately sized wooden blocks between the shelter skids and the cab wall of the truck bed to protect the towing eyes of the shelter and the cab wall of the truck bed.




A. EXPLODED VIEW OF PLATE AND EYEBOLT ASSEMBLY

EL5VT002

Figure 2. Securing S-141()/G and S-280()/G Shelters on Truck.


- (g) If the skin is punctured during loading or securing operations, the punctures shall be patched as soon as possible to prevent moisture seepage into the laminated panels of the shelter, and to restore EMI suppression if this requirement exists for the shelter.
 - (h) Raise and secure the truck tailgate.
- (4) Secure the S-144()/G and the **S-318()/G** on a % ton truck as follows:
- (a) Use two sling assemblies at each side of the truck to secure the shelter to the truck as shown in figure 3.
- (b) Perform the procedures in (3) (d) through (3) (h) above.

- (5) Secure the S-250()/G shelter on a $1\frac{1}{4}$ ton (M 715) truck as follows:
- (a) Use two sling assemblies at each side of the truck to secure the shelter to the truck as shown in figure 4. Note that tiedown adapter assemblies (SC-C-681153) are used at the tail gate end when required to enable operation of entrance panel covers at this end of the shelter assemblages.
- (b) Perform the procedures in (3) (d) through (3) (h) above.
- (6) Secure the S-250()/G shelter on the M-880 1- $\frac{1}{4}$ ton truck as follows:
- (a) Install the tie down provisions and make and install the wooden dunnage in the M-880 truck in accordance with Department of the Army Supply Bulletin SB 11-640.



EL5VT003

Figure 3. Securing S-144()/G and S-138()/G Shelters



EL5VT004

Figure 4. Securing S-250()/G Shelter on 1¼ Ton (M715) Truck).

- (b) Unhook the four sling legs from the lifting ring of the S-250()/G sling assembly.
- (c) Remove the hooks from the turnbuckle end of each sling leg.
- (d) Temporarily store the lifting ring and the four hooks inside the shelter.
- (e) Secure the hooks remaining in the sling legs to the four lifting eyes of the shelter.
- (f) Secure the turnbuckle end of the sling legs to the truck tie down provisions using the hardware which had been used to attach the hooks to the turnbuckles.
- (g) Tighten all turnbuckles evenly by hand; then turn each turnbuckle an additional one half-turn with a bar or rod inserted in the turnbuckle slot.

CAUTION

Do not overtighten the turnbuckles. Overtightening turnbuckles may tear the lifting and tie down eye assemblies from the shelter or damage the eye assembly or the shelter.

(h) If the skin is punctured during loading or securing operations, the puncture shall be patched as soon as possible to prevent moisture seepage into the laminated panels of the shelter, and to restore EMI suppression if this requirement exists for the shelter.

- (i) Raise and secure the truck tailgate.
- c. Loading of shelters into ANSI/ISO Containers.
- (1) S-141()/G and S-280()/G shelters may be shipped in Type 1AA ANSI/ISO containers. In-

stall and remove the shelters in accordance with TB 11-5400-200-14.

- (2) S-144()/G, S-250()/G and S-318()/G shelters may be shipped in ANSI/ISO containers only when crated or pallet mounted. Crates or pallets will be securely blocked in the ANSI/ISO container to prevent movement during transit.
- d. Storage. Temperature and humidity cycling of shelters results in an accumulation of moisture inside the shelter which is harmful to equipment in the shelter. Moisture accumulation shall be kept to a minimum by keeping shelter doors, louver covers, and drain holes open during periods of indoor storage. During storage outdoors, the doors and drain holes shall be closed but the louver covers shall be kept open.
- **6. Security.** The locks that are furnished with shelters have universal keys, that is, the locks can all be opened with the same key. The purpose of these locks is to furnish security during transportation and allow the shelter to be unlocked at its destination using the universal key. These locks can be identified by the number H-700 stamped on the body. The key for these locks also has this identification. If security is a requirement or a unique lock and key are desired padlock NSN 5340-00-682-1508, MS-35647-3 should be ordered.
- **7. Accessories.** *a. Boarding Ladders.* The following Vehicle Boarding Ladders are available for use with truck mounted shelters:

 Shelter
 Truck
 Ladder

 S-144()/G, S-250()/G,
 3/4 & 1 1/4 ton
 M-3543/G

 S-318()/G
 (NSN 2540-00-846-8483)

 S-141()/G, S-280()/G
 2½ ton
 M-3391/G

 (NSN 2540-00-892-6243)

b. S-280()/G Shelter Dolly Set M-720 Adapter Brackets. To mount the S-280()/G Shelter on the M-720 Dolly Set, adapter brackets must be mounted on the shelter. If the shelter is not so equipped

the procedure given in Chapter VI, General Support Maintenance, should be used to add adapter brackets.

CHAPTER III

MAINTENANCE

- **8. Maintenance Allocation.** A Maintenance Allocation Chart (MAC) in the Repair Parts and Special Tools List of each shelter outlines the allocation of maintenance tasks assigned to each echelon of maintenance. Refer to the appropriate chapter in this manual for specific requirements and instructions for each echelon of maintenance.
- **9. Repair Parts and Special Tools Lists.** *a.* Refer to the following manuals for the basic shelter repair parts:

Shelter	Manual
S-141()/G	TM 11-5410-206-14P
S-144()/G	TM 11-5410-205-15P
S-250()/G	TM 11-5410-214-15P
S-280()/G	TM 11-5410-213-14P
S-318()/G	TM 11-5410-212-15P

- b. If the replacement parts on a shelter cannot be found in the appropriate basic shelter manual, the end item manual should be checked. Parts that are peculiar to the end item (not part of the basic shelter) should be listed in the appropriate end item manual. If a problem is encountered in identifying or requisitioning replacement parts for the basic shelters, contact the local Communications and Electronics Readiness Command (CERCOM) Logistics Assistance representative or Commander, US Army CERCOM, ATTN: DRSEL-ME-ES, Fort Monmouth, NJ 07703. When reporting problems or requesting information for a particular type shelter, list the shelter nomenclature (include the basic shelter nomenclature as well as the nomenclature assigned when part of a configured equipment), serial number, contract number, model number, and manufactuer's name.
- 10. Skin Repairs. a. All punctures in the outside skin of a shelter should be repaired as soon as possible to prevent equipment damage caused by water leakage. When shelters have an electromagnetic interference (EMI) suppression requirement, immediate patching is necessary to prevent detection by enemy intercept equipment and electromagnetic interference with other communications equipment. Use care to prevent metal-to-metal contact between the outer skin and the inner skin of the shelter.
 - b. Under no circumstance should an entire inside

or outside skin be removed and replaced by any category of maintenance. If an entire skin on any panel is so severely degraded that it cannot be patched, an evaluation should be made to determine if the damage is severe enough to render the shelter unusable.

11. Welding or soldering maintenance parts. Welding or soldering operations on the shelter panels or on maintenance parts installed on the shelter are depot repair procedures and must be performed with extreme caution.

WARNING

Foam-core materials used in the light-weight shelters are highly flammable under a welding torch flame and release harmful black smoke when ignited. Elevated temperature will destroy the original cellular form of the foam-core and leave the aluminum panels unsupported. Do not allow the temperature of the skin surface to exceed 90°C. Use Thermometer, Self-Indicating, Bi-Metallic MX- 1570/G to monitor surface temperature. Do not perform any welding or soldering operations near the foam-core.

- **12. Seriously damaged shelters.** *a.* Serious damage is defined as any damage to a structural member such as a puncture or a dent which is severe enough to cause distortion of the opposite surface of the panel, particularly in edge or corner areas. Any seriously damaged shelter should be returned to the depot.
- b. In a tactical field situation, emergency repairs may be required to weatherproof a shelter to protect the equipment it contains. Any available materials can be used for emergency repairs. If a shelter has EMI suppression requirements, the emergency repair should be replaced as soon as possible with an EMI shielding repair procedure.
- c. If the nature of the damage warrants it, print the following caution notice using 4-inch high letters on all outside walls of the shelter:

CAUTION DAMAGED SHELTER: DO NOT SLING LIFT

CHAPTER IV

ORGANIZATION MAINTENANCE

- **13. Preventive maintenance.** The following preventive maintenance tasks should be performed each week.
- a. Inspect shelter outside for punctures, sealer, paint, lifting and towing eye cracks, rubber rain flap deterioration, and all hardware for defects.
 - b. Inspect door and panel cover gaskets.
- c. Inspect air filters and clean or replace as required.
 - d. Inspect sling assembly for completeness.
- *e.* Inspect shelter tie down if mounted on a truck to be sure it is secure.
- $\it f.$ Inspect shelter interior for floor mat wear and general interior condition.
- g. Lubricate door hinges and locking mechanism per paragraph 14 as required.
 - h. Touchup paint as required per paragraph 15.
- **14. Lubrication.** Lubricate door hinges, vent hinges, ventilating fans, and door latches of the shelter during routine maintenance checks. Use Lubrication Oil, Internal Combustion Engine, Arctic MIL-L-46167.
- 15. Touch Painting. When touchup painting is required, use a paint that matches the rest of the shelter. The exterior of some early shelters was painted with olive drab (-34087). Use lusterless enamel available in a 1-gallon container (NSN 8010-00-297-0560) or lusterless lacquer available in a 1-gallon container (NSN 8010-00-292-3053). Some S-250()/G and S-280()/G shelter may have a nameplate directing the use of solar reflective paint per MIL-E-46061. This nameplate may or may not be painted over. If it is not painted over use paint per MIL-E-46061. This paint is available in a 1-quart container (NSN 8010-00-905-7133) and a 1gallon container (NSN 8010-00-985-7258). For all other shelters, unless a particular camouflage pattern is specified, use the Forest Green Alkyd Camouflage Enamel base coat per MIL-E-52789. It is available in a 1-gallon container (NSN 8010-00-111-7937) and a 7-gallon container (NSN 8010-00-111-8010).
- **16. Skin Repairs.** *a. Punctures.* Any damage to the skin that results in the outside skin being punctured should be patched as soon as possible to prevent leakage or in the case of shelters having an electromagnetic interference (EMI) suppression requirement, to prevent detection by enemy intercept equipment and electromagnetic interference with other communications equipment. Apply a temporary field patch as described in paragraph 16

- *c.* The field patch should be replaced as described by a more permanent aluminum patch by higher category of maintenance as soon as possible.
- b. Dents. Dents in the outer skin that do not include a puncture need not be repaired. Evaluation must be made to determine if there has been any structural member damage that may render the shelter unusable. Some dents may be severe enough to include the inside wall as well as the outside, these should be evaluated in the same manner as dents to the outside wall only. When there is no puncture the only repair needed is painting if required.
 - c. Field Repair of Small Punctures in Panel Skins
- (1) *Purpose.* The purpose of this procedure is to provide a simple method of repairing small punctures in the aluminum skins of shelter panels to prevent entry of water into the panel.
- (2) *Scope.* This procedure is intended for field repair by orgainzational maintenance personnel as an expedient. This is a temporary repair and is not intended to replace a more durable repair by higher levels of maintenance.
- (3) *Materials.* The following materials are to be used to repair the puncture.
- (a) Sealant. Dow Corning Silastic 738 RTV or GE Silicone Construction Sealant 1200 or any sealant listed as Item 14 or Item 15 in Paragraph 24b. Do not stock large amounts of sealant. Order as required as sealant has a shelf life.
- b. Tape. Polyethylene coated cloth duct sealing tape, Kendall Compeny, Polyken Division, part number 222 OD. Part number 222A (aluminum colored) may be used only if tactical considerations are not effected.
- (c) *Tape, electrically conductive.* Electrically Conductive Pressure Sensitive Tape, Emerson and Cuming, Inc., Canton, MA, part number Eccoshield PST-C, 4 inches wide or Scotch Brand Electrical Tape #1181, 4 inches wide, 3M Company, Boston, MA. This item is only required if the shelter has an EMI suppression requirement.
 - (4) Procedure.
- (a) If necessary, bend the broken edges of the punctured skin inward into the puncture hole. Do not attempt to remove fragments of skin by bending or pulling outward. Bend the skin inward only enough to put the broken edges below the surface of the unbroken skin. Any convenient implement can be used
- (b) Remove any loose fragments of foam which are not now held in place by the bent broken

skin. Removing small pieces of foam or dust is more important than removing chunks.

- (c) If the shelter has an EMI suppression requirement, proceed as in sub paragraph (5) below. Otherwise continue as follows: Using a cloth only slightly dampened with water, wipe the area around the puncture to remove any obvious dirt, mud, etc. Then wipe dry.
- (d) Inject one of the authorized sealants into the puncture. Mound the sealant to about 1/8 inch above the surface of the unbroken skin. Apply a bead of sealant about 1/4 inch wide over all cuts in the skin leading out from the puncture. Do not smooth out the sealant.
- (e) How the puncture is to be covered with tape (3)(b), should be planned before applying any tape. The length and width of the tape, the number of tape strips, overlapping, and how the tape is applied all will affect the sealing capability of the repair.
- (f) Each piece of tape should extend about $1\frac{1}{2}$ inches beyond the sealant it will cover. If this will require more than one strip of tape, the tape should overlap about $\frac{1}{2}$ inch. If 3 or more strips of tape are required, the center strip(s) should be applied first.
- (g) To apply the tape. hold it taut and apply it perpendicular to the panel skin. Do not apply with a rolling motion either from end-to-end or from center-to-ends. Do not rub each strip in place individually. Apply all the strips lightly and with the proper overlap first.
- (h) If necessary, damaged tape can be replaced. However, it should be removed with a careful peeling motion to avoid damage to the sealant. If the sealant also peels back, new sealant should be applied. Complete removal of the old sealant is not necessary.

- (i) Permanent repair by direct support or higher category of maintenance should be made as soon as possible.
- (5) Procedure for shelters with an EMI suppression requirement:
 - (a) Proceed as in sub paragraphs (4)(a) and (b).
- (b) Using abrasive paper, remove all paint or foreign matter-from the skin surrounding the puncture at least 1 inch past the puncture in all directions. This bare metal area is required for achieving adequate EMI shielding.
- (c) Using a cloth only slightly dampened with water, wipe the area around the puncture to remove any obvious dirt, mud, etc. Then wipe dry.
- (d) Cover the puncture with electrically conductive tape ((3)(c) above). How the puncture is to be covered with the electrically conductive tape should be planned before actually applying the tape. The electrically conductive tape should overlap the puncture by at least 1 inch in all directions. If more than one width of electrically conductive tape is required, each strip should overlap the previous strip by at least one inch. If 3 or more strips are required the center strip(s) should be applied first.
- (e) Cover the electrically conductive tape with duct tape ((3)(b) above), to help protect this temporary patch from the effects of weathering. Each piece of tape should extend about 1½ inches beyond the electrically conductive tape it covers. If this requires more than one strip of tape, the strips should overlap at least ½inch. If 3 or more strips are required, the center strip(s) should be applied first. Apply as in subparagraph (4)(g) above.
- (f) Permanent repair by higher categories of maintenance should be made as soon as possible.

- **17. Tools and materials required.** *a. Tools.* Appendix D is a list of tools from which the required tools should be selected if not noted in a given maintenance procedure.
- b. Materials. Appendix C is a list of materials from which the required materials should be selected if not noted in a given maintenance procedure.
- **18. Damaged or worn floor tread.** If the shelter has an overlay floor tread use the following procedures to repair damaged floor covering of shelters.
 - a. Remove floor tread completely.
- *b.* Clean any excess adhesive from the floor using Methyl Ethyl Ketone Cleaner, 1/2 Gallon Can (NSN 6810-00-687-8429), 1 Gallon Can (NSN 6810-00-281-2785).

CAUTION

Exercise care to ensure that no Methyl Ethyl Ketone gets into the floor panel of an S-280()/G shelter as it will dissolve the styrene core material.

- *c.* Prime and paint the floor in accordnace with the instruction in paragraph 37.
- *d.* Cut to size and install one of the below listed floor coverings. Use no adhesive.
- (1) Matting, floor, rubber, 1/8-inch thick X 36-inch wide, 50 yard roll (NSN 7220-00-254-4240).
- (2) Matting floor, rubber, 3/16-inch thick X 36-inch wide, 25 yard rool (NSN 7220-00-965-4699).
- *e.* All material listed above is available through normal supply channels.
- **19. Rain flaps.** *a.* Rubber rain flaps on all top hinged louver covers and/or entrance covers should be examined and replaced if required.
- (1) If replacement is required replace the flap with either of the following rubber sheet stock cut to the same size as the old flap:
- (a) Rubber Sheet, 1/8-inch thick X 8 inches wide X 36 inches long NSN 9320-00-621-5409 per MIL-S6855.
- (b) Rubber Sheet, 1/8-inch thick X 24 inches wide X 48 inches long NSN 9320–00–202–4008 per MIL-R-3065.
- (2) For flaps attached with rivets, drill out the old rivets and select new closed-end aluminum rivets of the proper size and grip range. Cut the new flap to size using the old flap as a guide.

- (3) After cutting the flap to size, locate and make holes for the screws or rivets using the drip molding or retaining strip as a guide.
- (4) When replacing, apply a heavy coat of sealer, item 14 or 15 in paragraph *24b*, to all faying surfaces and fasteners.
- **20. Replacing damaged shelter skids.** Replacement of damaged shelter skids can generally be accomplished by unbolting the damaged skid and replacing it with a new skid. Some older shelters, however, had the skids installed with rivets rather than threaded fasteners. When it is necessary to replace a damaged shelter skid that was originally riveted to the shelter, it will be performed by a higher category of maintenance (see Chapter VI, Gereral Support).
- 21. Replacing EMI filters on S-250()/G, S-280()/G, and S-318()/G shelters. When the replacement of an EMI filter is necessary the following shall apply:
- a. Remove the threaded fasteners securing the filter in place (rivets secure the filter in the S-318()/G shelter).
 - b. Remove the filter and wire mesh tape.
- c. Clean the surfaces of paint, excess adhesive, and foreign matter.
- *d.* Install new wire mesh tape on all surfaces between the flange on the frame and filter.
- *e.* Using holes in the flange as a template, drill and fasten a new filter in place with screws, nuts, and lockwashers (use rivets when securing filters in the S-318()/G).
- f. Seal the outer edges of joints between the filter and flange with sealant, item 14 or item 15 in paragraph 24b.
- 22. Replacing EMI shielding gasket on S-250()/G, S-280()/G and S-318()/G shelters.When the replacement of the EMI shield is necessary, the following shall apply:
- a. Remove the damaged shield, and clean the surface of paint and foreign matter.
- *b.* Install the new EMI shield, making sure that the shield shape at the corners is as shown in figure 5.




Figure 5. View of EMI Shield Installed in Door of S-280()/G Shelter


- c. The telescoped joints (fig. 6) shall be approximately midway up the hinge side of the door and the emergency exit.
- *d.* The procedure for making a telescoped joint in the EMI shield (fig. 6) is as follows:

NOTE

When cutting a shield, allow an additional 2 inches to overall length for the telescoped joint.

- (1) On one end of the shield, pull back layers 5 and 4 approximately 2½ inches and cut 2 inches off layers 3, 2, and 1 and the sponge core.
- (2) On the other end, pull back layer 5 and cut off 2 inches of layer 4.

- (3) Join the ends together as shown in figure 6.
- **23. Calking shelter seams.** All seams should not exceed a 3/8-inch width and should be smoothly and uniformly applied. Inspect all shelter seams, and use either the silicone or polysulfide sealant (items 14 and 15 in paragraph *24b* to calk any seam that requires talking as follows:
- a. When using silicone sealant, use the spout of the tube or cartridge containing the sealant to apply the seam. When using polysulfide sealant, use a calking gun. In applying the sealant, follow the procedures below:



EL5VT006

Figure 6. EMI Shield Telescoped Joint.


- (1) Remove all loose material from seams.
- (2) Position the tube or talking gun at approximately a 45° angle with respect to the surface.
- (3) Slowly squeeze the tube or operate the trigger of the talking gun while moving the nozzle at a continuous pace. The size of the bead deposit depends on the-speed of application.
- (4) Keep the size of the bead 3/8-inch wide and approximately 3/32-inch thick at the highest point.
- (5) Dip a finger in a strong soap solution to smooth uneven calking beads.
- (6) Eliminate all air bubbles in the calking seam. Air bubbles in the calking seam may be indicated by pinholes.
 - (7) Clean and remove excess calking compound.
- (8) Allow the calking seam to set for 24 hours minimum at 70° F, and paint the seam (para 37).
- *b.* Masking tape may be used on long runs to ensure a uniform seam width.
- **24. Skin repairs.** *a.* Apply permanent aluminum patches to all single skin punctures that do not exceed 4¾ inches by 10¾ inches which is the maximum size puncture that can be covered using the pre-cut aluminum patches shown in figure 7. Larger punctures must be repaired by higher category of maintenance. All temporary patches should be removed and replaced. A skin break is minor when it is essentially an indentation accompanied by a split or hole and the foam insulation

underneath is intact. A major break is where the skin is jagged and wrinkled and the original foam insulation has to be restored. A skin break involves a single skin only. A puncture through the shelter wall involves both the inner and outer skins (this must be repaired by a higher category of maintenance). If the shelter has an EMI suppression requirement, the procedure described in paragraph 24e must be included in the repair.

b. Following is a list of items with their procurement data, required as a minimum to make the repair(s). The items may be procured locally or ordered through normal channels. There is no kit of the listed items. Orders for items where no stock number appears are to be ordered by exception. Items listed in the General Services Administration (GSA) catalogue are so noted. It is recommended the user review the entire procedure before ordering any items. This will enable the user to determine the items, quantities, and the method of procurement he needs for the repair(s). Items 1 through 16 are consumable items while the remaining items are reuseable.

ITEMS 1 through 7 Order by Exception Aluminum patches shall be in accordance with figure 7.

ITEM8 NSN 5350-00-221-0888 Paper, Abrasive, Garnet, Sheet 9 X 11 per P-P-121 Class 4 40 Grit. This is a GSA Item having 50 sheets per package.



FRACTIONS ± 1/16

DECIMALS ± .005

ITEM	PART NO. SC-C-143287	Α	В	C #HOLES	# HOLES	TOTAL #HOLES
1	- 1	4 3/4	2 3/4	5	3	/2
2	- 2	8 3/4	2 3/4	9	3	20
3	- 3	12 3/4	2 3/4	/3	3	28
4	- 4	8 3/4	4 3/4	9	5	24
5	- 5	12 3/4	4 3/4	/3	5	32
6	- 6	8 3/4	6 3/4	9	7	28
7	- 7	12 3/4	6 3/4	/3	7	36

NOTES:

- I. MATERIAL ALUMINUM SHEET 6061-T6 PER QQ-A-250/II.
- 2. REMOVE ALL BURRS AND SHARP CORNERS.
- 3. FINISH P 510.1 NO FINAL FILM PER MIL-F-14072.
- 4. ALL HOLES SHALL BE EQUALLY SPACED ON / INCH CENTERS.
- 5. LOCAL PROCUREMENT: ALTERNATE MATERIALS SUCH AS
 5052-H32,6061-T4, OR 3003-H/4 MAY BE USED.FINISH
 PER NOTE 3 OR P 5/3.2 MAY BE SUBSTITUTED.

EL5VT007

Figure 7. Aluminim Patches, Items 1 Through 7.

Local Procurement: Any medium grade paper or emery cloth that will smooth the roughness and remove paint where required.

ITEM 9 NSN 8305-00-267-3015

Cloth, Cheesecloth, bleached, 36 inches wide, 8 yards per package Fed Spec CCC-C-440 Type II Class 2

OR NSN 8305-00-205-3496 Cloth, Cheesecloth, bleached, 36 inches wide, 0.95 ounce/square yard Fed Spec CCC-C-4A0. This is a GSA Item having 10 yards per package. Local Procurement: Any clean cotton cloth or rags.

ITEM 10 NSN 6515-00-324-5500

Depressor, Tongue, wood, approx size 5 3/4 inches X 11/16 ininches wide X 1/16 inches thick. Fed Spec GG-D-226. This is a medical supply item packaged 100 per box.

OR NSN 6515-00-753-4533

Depressor Tongue, sanitary hardwood, smooth finish, round ends. Nonsterile, Fed Spec GG-D-226. This is a GSA Item packaged 500 per box. Local Procurement: Any suitable piece of smooth wood approximately 6 inches X 3 4 inches wide X 1/16 inches thick.

ITEM 11 NSN 6810-00-579-8431

Toluene, technical grade, 1 quart. Fed Spec TT-T-548. Local Procurement: Toluene or Toluol, Specification requirement waived.

ITEM 12 Order by Exception

Insulation, 4 lb/cu ft density, closed cell rigid urethane foam. (Block size of 2 1/16 inches X 10 inches X 10 inches will be satisfactory for most repairs. Material Specification:

CPR 9006-4 Rigid urethane foam

The Upjohn Co., CPR division 555 Alaska Ave., Torrance, California 90503

ITEM 13

NSN 5320-00-402-2855

"Pop" Rivet, 5/32 diameter X .063-.250 Grip, Dome Head, all aiuminum, closed end. Order package of 100 or by each.

Local Procurement: Order #AD54AH, from

USM Corp., "Pop" Rivet Division

Shelton Ct 06484 or distributors

(Available only in quantities of 8000 rivet packages from distributors.)

ITEM 14

NSN 8040-00-851-0211

Adhesive, Silicone Rubber (DC 732, Black, 5 oz tube, this is a GSA Item.) same as Silastic RTV 732. Adhesive/Sealant, Black, Dow Corning Corp., Midland, Michigan 48540.

Local Procurement: Any Dow Corning Silastic RTV 732, black preferred, clear, translucent, or aluminum next; and white last choice. Incollapsable tubes. Cartridge may be used but requires caulking gun. Do not stock large amounts of sealant. Order as required as sealant has a shelf life.

The following General Electric silicone sealants may be used as an alternate:

RTV-103 Black (preferred), 12 NSN 8040-00-828-7385 oz tube, GSA Item

RTV-108 Translucent

RTV-109 Aluminum, 12 oz tube, NSN 8040-00-142-9823 GSA Item

RTV-102 White (least preferred)

ITEM 15

Order from QPL

Sealing compound, Temperature-Resistant, Integral Fuel Tanks and Fuel Cell Cavities, High adhesion per MIL-S-8802. Class B-2. Do not stock large amounts of sealant. Order as required as sealant has a shelf life. This is a two part sealant which must be mixed per manufacturers instructions prior to use.

ITEM 16

Commercial Item

Tape, electrically conductive pressure senstive, part number Eccoshield PST-C, 4 inches wide.

Emerson and Cuming, Inc.

Canton, MA 02021

OR

Tape, electrically conductive pressure sensitive, Scotch Brand Electrical Tape #1181, 4 inches wide.

3M Company Boston, MA 02100

ITEM 17

NSN 5120-00-294-4605

Knife, putty, high grade steel, Blade 3 $\frac{1}{2}$ inches long X 1 $\frac{1}{4}$ inches wide, semiflexible, Fed Spec GGG-K-481 Type IV Class 2. This is a GSA Item Local Procurement: Any stiff blade putty knife with blade approximately 3 $\frac{1}{2}$ inches long X 1 inch wide.

ITEM 18

NSN 5133-00-189-9265

Drill Twist, 0.161 diameter (#20) high speed steel. Fed Spec GGG-D-751.

This is a GSA Item having 12 drills per package.

Local Procuremtn: Standard drill(s) of correct diameter.

ITEM 19

NSN 5315-00-058-6011

Pin, spring, tubular, slotted, .312 inches dia X 2 inches long, .062 wall, Cadmium Plated Carbon Steel per MS16562-74.

Local Procurement: Any steel or stainless steel tubing or pipe approximately sized per above.

ITEM 20

NSN 5120-00-017-2849

Riveter, heavy duty, for 3/32, 1/8, 5/32, and 3/16 diameter Rivets. This is a GSA Item.

OR NSN 5120-00-970-6425

Riveter. This is an item in Tool Kit TK-144/G.

OR

Commercial Item

Gun, "Pop" Rivet, Model #PRG 111 (or equal) USM Corp., "POP" Rivet Division Shelter Ct 06484

ITEM 21

NSN 3455-00-268-9695

Rotary File, $\frac{1}{4}$ inches diameter shank, tapered or conical shape, $\frac{5}{16}$ inches diameter X 1 inch long (approx), coarse cut, high speed steel.

Local Procurement: Per above description other shapes permitted providing end fits into 1/8 inch diameter hole and has surface for routing.

- c. Repair of a small minor break in a shelter without an EMI suppression requirement.
- (1) Select a patch from Item 1 through Item 7 that overlaps the damaged area at least by 1 inch in all directions.
- (2) Position the patch over the damaged area and scribe a line on the skin all around the patch.
- (3) Spotting from a corner hole in the patch, drill a .161 inch diagonal hole through the patch and the skin. Use drill (Item 18) and pin (Item 19) which is to act as a stop. To do this place the drill inside the pin and set the drill in the drill chuck such that 7/16 inch to 9/16 inch of the drill is exposed when the pin is against the chuck jaws.
- (4) Place a rivet (Item 13) in the drilled hole to act as a locating pin.
- (5) Drill the diagonally opposite hole and pin with a rivet.
 - (6) Drill the other two corner holes and pin.
 - (7) Drill the remaining holes.
- (8) Remove the rivets and patch. Remove any loose or flaking paint and foreign matter from the skin area within the scribed lines with abrasive paper (Item 8). It is not necessary to remove sound paint prior to patching.
- (9) Degrease the area and the matching surface of the patch. Use the cloth (Item 9) soaked with Toluene (Item 11). Allow to dry.
- (10) Degrease the correct number of rivets in toluene and allow to dry.
- (11) Coat the surface area within the scribed lines with sealant (Item 14 or 15). Fill in the skin break and drilled holes. Use a clean tongue depressor (Item 10) to spread the sealer. Proceed rapidly as the sealant cures quickly.
 - (12) Position the patch.
- (13) Install a rivet in the gun (Item 20) touching the mandrel only. Coat the 5/32 inch diameter of the rivet with sealant, place a central hole of a long side, and upset the rivet. Repeat for the opposite side. Install rivets in a progressive order from the installed rivets working both directions and both sides to the corners. Proceed in the same manner for the ends.
- (14) Remove all excess sealant from the patch and skin surfaces except for patch fillets and rivet

head fillets. Do not use any solvents to remove the sealant

- (15) Allow sealant 24 hours to dry. It is recommended that this drying time be at room temperature (above 65° F).
 - (16) Repaint as required (see para 37).
- d. Repair of small major break in a shelter without an EMI suppression requirement.
- (1) The surface area where the patch is to be placed must be flat. Cut away all wrinkled areas above the skin surface. Bend below the skin surface all small jagged portions of the skin that protrude. Large jagged portions of the skin where the original insulation underneath is badly crushed, broken or missing are to be cut away. Be careful not to delaminate the panel any more than it is. Bend the remaining jagged portions below the skin.
- (2) When cutting away the skin it is best that the portion removed be of a simple shape such as a rectangle. Mark a line around the portion to be removed.
- (3) Remove damaged skin with a circular saw (an item in Tool Kit TK-144/G, Appendix E) or with a router if these are available. Otherwise, remove the damaged skin as follows:
- (a) Drill a series of closely spaced holes in the line around the portion to be removed.
- (b) Remove the webs between the holes using the rotary file (Item 21) in the electric hand drill.
- (4) Remove the foam to the opposite skin or to the glue line if it is sound, using the knife, (Item 17). It is assumed that the inner skin is essentially not damaged.
- (5) Prepare new foam (Item 12) to fit the volume that was removed. It is best if a single piece of foam is used. The new foam, when in place, shall be flush with the surrounding skin.
- (6) Select a patch from Item 1 through Item 7 that overlaps the damaged area at least by 1 inch in all directions.
- (7) Position the patch over damaged area and scribe a line on the skin all around the patch.
- (8) Spotting from a corner hole in the patch, drill a .161 inch diagonal hole through the patch and the skin. Use drill (Item 18) and pin (Item 19) which is to act as a stop. To do this place the drill inside the pin and set the drill in the drill chuck such that 7/16 inch to 9/16 inch of the drill is exposed when the pin is against the chuck jaws.
- (9) Place a rivet (Item 13) in the drilled hole to act as a locating pin.
- (10) Drill the diagonally opposite hole and pin with a rivet.
 - (11) Drill the other two corner holes and pin.
 - (12) Drill the remaining holes.
- (13) Remove the rivets and patch. Remove any loose or flaking paint and foreign matter from the skin area within the scribed lines with abrasive

- paper (Item 8). It is not necessary to remove sound paint prior to patching.
- (14) Degrease the area and the matching surface of the patch. Use the cloth (Item 9) soaked with Toluene (Item 11). Allow to dry.
- (15) Degrease the correct number of rivets in toluene and allow to dry.
- (16) Liberally coat the cavity surfaces and the piece of foam that is to fit the cavity with sealant (Item 14 or 15). Proceed rapidly as the sealant cures quickly.
 - (17) Position the coated foam in the cavity.
- (18) Coat the surface area within the scribed lines with sealant (Item 14 or Item 15). Fill in the drilled holes. Use a clean tongue depressor (Item 10) to spread the sealer.
 - (19) Position the patch.
- (20) Install a rivet in the gun (Item 20) touching the mandrel only. Coat the 5/32 inch diameter of the rivet with sealant, place in a central hole of a long side, and upset the rivet. Repeat for the opposite side. Install rivets in a progressive order from the installed rivets working both directions and both sides to the corners. Proceed in the same manner for the ends.
- (21) Remove all excess sealant from the patch and skin surfaces except for patch fillets and rivet head fillets. Do not use any solvents to remove the sealant.
- (22) Allow sealant 24 hours to dry. It is recommended that this drying time be at room temperature (above 65° F).
 - (23) Repaint as required (see para 37).
- e. Reparis of shelters which have an EMI Suppression Requirement.
- (1) Shelters which have an EMI suppression requirement will be required in the same manner as the previously described repairs with the exception that prior to applying the sealant and patch to the puncture, the following procedures shall be performed:
- (2) Using the abrasive paper (Item 8), remove all paint or foreign matter from the skin surrounding the puncture at least 1 inch past the puncture in all directions. This bare metal area is required for achieving adequate EMI shielding.
- (3) Clean the area using the cloth (Item 9) soaked with toluene (Item 11). Allow to dry.
- (4) Cover the puncture with electrically conductive tape (Item 16). How the puncture is to be covered with the electrically conductive tape should be planned before actually applying the tape. The tape should overlap the puncture by at least 1 inch in all directions. If more than one width of tape is required, each strip should overlap the previous strip by at least one inch. If 3 or more strips are required the center strip(s) should be applied first.

- (5) Continue the repair as for shelters without an EMI suppression requirement. Note that the aluminum patch shall completely cover any conductive tape which has been applied.
- **25. Damaged structural member.** A structural member that contains a puncture or a dent which is severe enough to cause distortion of the opposite

surface of the panel will normally be considered unrepairable. In these cases an evaluation should be made to determine if the damage is severe enough to render the shelter unusable. Under no circumstances should a structural member be replaced or repaired.

CHAPTER VI

GENERAL SUPPORT MAINTENANCE

26. General *a.* Before performing any puncture repairs, determine if the shelter must meet the requirements for EMI suppression. If the shelter is a part of a communication assemblage, or will be used as a replacement shelter for such an assemblage, refer to the technical manuals covering the communication assemblage and the installed equipment to determine if the EMI requirement must be met. After repair of the shelter, test the adequacy of EMI suppression as described in MIL-STD-285 (see para 38d(3)).

b. Clean and service air filters, rubber gaskets, and EMI gaskets, when required (replace only when necessary) on all repaired shelters being returned to the user. Replace all air filters, rubber gaskets, and EMI gaskets when required on repaired shelters being returned to stock. When replacing rubber gaskets, be sure that the gasket channel is thoroughly cleaned. Secure replacement rubber gaskets with the silicone adhesive sealant authorized on the repair parts and special tools list for the end item equipment. Check to verify that the gaskets of the doors and covers seat properly as follows:

(1) A piece of paper .005 inch maximum thickness by 21/2 inches wide will be used as a gage. The center of the top and bottom edges of each door, 3 places along both sides of the door, the center of the bottom of each cover, and 2 places along both sides of each cover shall be inspected as follows: The door or cover shall be closed so that the paper is between the weather gasket and its bearing surface (but not under the EMI gasket if so equipped). The paper shall be withdrawn while the door or cover is closed. The absence of any resistance to the withdrawl indicates that the gasket is not touching its bearing surface. If this condition is found, the gasket compression shall be increased in the appropriate manner and this inspection shall be repeated. Obtaining correct gasket compression may entail replacing the gasket if it is in poor condition or has been installed improperly (i.e. kinked or poorly spliced). If the gasket is in good condition and has been installed properly, it may be necessary to change the thickness of the latch keeper shims, the hinge butt shims, the hinge strap shims, or the roller latch washer shims. Inspection of the particular latching mechanism being adjusted will reveal the type of shim adjustment which is most appropriate to achieve correct gasket compression. Do not add or remove shims haphazardly. Ensure that the latches contact their respective keepers when the latch is closed. Any hinge shims changed or added during rework shall be completely coated with sealant (Item 14 or item 15 in paragraph 24b before installation. If the shelter has an EMI suppression requirement, compound no. 4660 of Chomerics, Inc., Arlington, MA, and sealant (item 14 or 15 in para 24b) will be reapplied in the same location as the original material. Refinish when required in accordance with paragraph 37. Note that after any adjustments to hinges are made, the door shall be capable of opening and closing to its full extent without binding, and maximum operating torque of the door latch shall not exceed values given in the table of paragraphs 38d(4) (a).

c. Replacement. All maintenance parts secured with rivets and threaded fastening devices may be replaced. Replacement of damaged shelter skids, interior hardware, mounting brackets, fixtures, etc., secured with rivets, will be replaced utilizing appropriate fasteners. Damaged shelter skid replacement is covered in paragraph 31. Rivnut and fastening device replacement procedures are covered in paragraph 30.

27. Tools and Materials Required. A. *Tools.* Appendix D is a list of tools from which the required tools should be selected if not noted in a given maintenance procedure.

b. Materials. Appendix C is a list of materials from which the required materials should be selected if not noted in a given maintenance procedure.

- **28. Repair of delaminated areas.** A delaminated panel area results when the shelter skin is broken loose from the foam core. A delaminated panel area is characterized by a dull, hollow sound when tapped with a coin, as opposed to the tight, drum-like sound of an intact panel. Delaminated panels are never greatly distorted physically. Delaminations may occur on the interior of the shelter or the exterior of the shelter. Repair should be performed as follows:
- a. Interior. When a delamination is on the interior of the shelter and it spans over a structural member, the skin must be secured to the structural member (when the delamination does not span over a strut. tural member, no repair need be performed). Use 3/16 inch closed-end blind aluminum countersunk rivets (AK66H "Pop" rivet supplied by USM Corp., "Pop" Rivet Division, Shelton, CT. 06484 or equivalent rivets) evenly spaced on 4 inch centers to secure the skin to the structural member such that the heads of the rivets are flush with the skin sur-

face. Each rivet shall be dipped in sealant (item 14 or 15 in para 24b) prior to installation to preclude moisture from entering the interior of the shelter panel. Do not attempt to rebond the skin to the core as the liklihood of obtaining a durable repair of this type is very low.

b. Exterior. When a delamination is on the exterior of the shelter, it need not be repaired provided there are good welds holding the skin to the structural members. If the spot welds are not adequately holding the skin to the structural members, use 5/32 inch closed-end blind all aluminum rivets (Item 13 in para 24b) to secure the skin to the structural members. Each rivet shall be dipped in sealant (Item 14 or 15 in para 24b) prior to installation to preclude moisture from entering the interior of the shelter panel. Do not attempt to rebond the skin to the core as the liklihood of obtaining a durable repair of this type is very low.

29. Replacing towing and lifting eyes. When a damaged towing or lifting eye fitting is replaced, the following should apply:

a. Whether or not the original fitting was installed with sealant, on the inner surface, the repaired or replacement fitting shall be installed with its inner surfaces completely coated except for the area in back of the swivel eye, with the sealant specified as item 14 or item 15 in paragraph 24b. A bead of this sealant will also be placed around the edge of the installed towing or lifting eye fitting.

30. Replacing rivnuts or fastening devices. Following the procedures in *a* below, when replacing rivnuts or fastening devices, and follow the procedures in *b* below to ensure that all rivnuts are properly seated. All exposed exterior rivnuts which require replacement will be replaced with stainless steel rivnuts.

Rivnut Size	Drill Size		Seating test Torque (inch-pounds)	e Ma	Maximum assembly torque (inch-pounds)		
		Steel	SS*	Aluminum	Steel	SS^*	Aluminum
#6	#12	13	15	4	24	30	12
#8	#2	21	38	9	38	45	16
#10	E	23	38	12	45	60	25
1/4	Q	51	78	30	130	160	60
5/16	Ž	70	115	46	156	260	100
3/8	12.5mm	131	210	83	344	400	190

^{*} Stainless steel

31. Replacing damaged shelter skids. Replacement of damaged shelter skids can generally be accomplished by unbolting the damaged skid and replacing it with a new skid. Some older shelters, however, had the skids installed with rivets rather than threaded fasteners. When it is necessary to replace a damaged shelter skid that was originally riveted to the shelter, use mounting inserts, if feasible, to secure the new skid to the shelter. Follow

a. Replacement Procedure.

(1) Drill out the damaged rivnut or fastening device with an appropriate sized drill (see table in b below).

(2) Use the depth and angle gage in the TK- 144/G (Appendix E) to measure the thickness of the material where the rivnut will be installed.

CAUTION

This measurement determines the grip range requirement of the replacement rivnut and should account for airgaps, paint, or burrs-in the thickness of the materials which cannot be removed.

(3) Select the proper grip range replacement rivnut, and use the applicable rivnut heading tool to install the rivnut.

CAUTION

When securing maintenance parts to the rivnuts, use the torque indicating wrench and do not tighten bolts or screws beyond the maximum assembly tightening torque (b below).


b. Seating Test. When properly seated the rivnuts should not turn when the torque load listed in the table is applied. To test for proper seating use a hexagonal nut threaded on a hexagonal head screw. Turn the screw into the rivnut six (6) complete turns. Hold the screw stationary and tighten the nut down against the rivnut head, as a jam nut. Apply the required seating test toraue in the clockwise direction using the torque wrench in TK-144/G (Appendix E). Do not exceed the maximum assembly torque shown in the table. Repeat the test in the counterclockwise direction.

the procedures in *a* through *f* below and refer to figure 8 when replacing damaged shelter skids.

a. Drill out the rivets, and remove the shelter skids.

b. Use 5/16-inch rivnuts of appropriate length and install the rivnuts dipped in sealant (item 14 or item 15 in para *24b)* in the shelter bottom with the applicable rivnut heading tool as instructed in paragraph 30.

- *c.* Prepare a sheet aluminum spacer .001 to .003 inch thinner than the head of the rivnut.
- *d.* Use the skid as a template to mark the spacer, and drill clearance holes for the rivnut head.
- *e.* Postition the spacer and skid, and secure them by tightening the mounting bolts into the rivnuts.
- f. Prime and paint the exposed aluminum surfaces (para 37).



EL5VT008

Figure 8. Shelter Skid Replacement, Exploded View. (For Skids Originally Riveted to the Shelter)

32. Skin repairs. a. Apply permanent aluminum patches to all skin punctures that do not exceed 4% inches by 10\% inches as specified in paragraph 24. Larger punctures will be repaired as described below. All temporary patches should be removed and replaced. All skin patches applied at lower categories of maintenance must be checked for soundness and any aluminum patches secured with self-tapping screws must be removed and replaced with riveted skin patches. A skin break is minor when it is essentially an indentation accompanied by a split or hole and the foam insulation underneath is intact. A major break is where the skin is jagged and wrinkled and the original foam insulation has to be restored. A skin break involves a single skin only. A puncture through the shelter

wall involves both the inner and outer skins. If the shelter has an EMI suppression requirement, the procedures described in paragraph *32h* must be included in the repair.

- b. Paragraph 24b lists items with their procurement data required as a minimum to make the repair(s). Item numbers used in this section refer to items in paragraph 24b.
- c. Repair of a large minor break (damaged area larger than 10 3/4 inches X 4 3/4 inches) in a shelter without an EMI suppression requirement.
- (1) The repair procedure is basically the same as for small minor breaks (para 24c) except larger patches will be required.
- (2) Fabricate a patch in accordance with figure 7 except the size of the patch shall be such that it

will overlap the damaged area at least by 2 inches in all directions. Hole spacing may be increased to 2 inch centers maximum spacing along any edge when the distance between two corner holes exceeds 20 inches

- (3) Position the patch over the damaged area and scribe a line on the skin all around the patch.
- (4) Spotting from a corner hole in the patch, drill a .161 inch diagonal hole through the patch and the skin. Use drill (Item 18) and pin (Item 19) which is to act as a stop. To do this place the drill inside the pin and set the drill in the drill chuck such that 7/16 inch of the drill is exposed when the pin is against the chuck jaws.
- (5) Place a rivet (Item 13) in the drilled hole to act as a locating pin.
- (6) Drill the diagonally opposite hole and pin with a rivet.
 - (7) Drill the other two corner holes and pin.
 - (8) Drill the remaining holes.
- (9) Remove the rivets and patch. Remove any loose or flaking paint and foreign matter from the skin area within the scribed lines with abrasive paper (Item 8). It is not necessary to remove sound paint prior to patching.
- (10) Degrease the area and the matching surface of the patch. Use the cloth (Item 9) soaked with Toluene (Item 11). Allow to dry.
- (11) Degrease the correct number of rivets in toluene and allow to dry.
- (12) Coat the surface area within the scribed lines with sealant (Item 14 or 15). Fill in the skin break and drilled holes. Use a clean tongue depressor (Item 10) to spread the sealer. Proceed rapidly as the sealant cures quickly.
 - (13) Position the patch.
- (14) Install a rivet in the gun (Item 20) touching the mandrel only. Coat the 5/32 inch diagonal of the rivet with sealant, place in a central hole of a long side, and upset. Repeat for the opposite side. Install rivets in a progressive order from the installed rivets working both directions and both sides to the corners. Proceed in the same manner for the ends.
- (15) Remove all excess sealant from the patch and skin surfaces except for patch fillets and rivet head fillets. Do not use any solvents to remove the sealant.
- (16) A11ow sealant 24 hours to dry. It is recommended that this drying time be at room temperature (above 65° F).
 - (17) Repaint as required (see para 37).
- d. Repair of a large major break (damaged area larger than 10 3/4 inches X 4 3/4 inches) in a shelter without an EMI suppression requirement.
- (1) The surface area where the patch is to be placed must be flat. Cut away all wrinkled areas above the skin surface. Bend below the skin surface all small jagged portions of the skin that protrude.

Large jagged portions of the skin where the original insulation underneath is badly crushed, broken or missing are to be cut away. Be careful not to delaminate the panel any more than it is. Bend the remaining jagged portions below the skin.

- (2) When cutting away the skin it is best that the portion removed be of a simple shape such as rectangle. Mark a line around the portion to be removed.
- (3) Remove damaged skin with a circular saw (an item in Tool Kit TK-144/G, Appendix E) or with a router.
- (4) Remove the foam to the opposite skin or to the glue line if it is sound, using the knife (Item 17). It is assumed that the inner skin is essentially not damaged.
- (5) Prepare new foam (Item 12) to fit the volume that was removed. Foam blocks larger than these described in Item 12 maybe desirable for large repairs as it is best if a single piece of foam is used. The new foam, when in place, shall be flush with the surrounding skin.
- (6) Fabricate a patch in accordance with figure 7 except the size of the patch shall be such that it will overlap the damaged area at least by 2 inches in all directions. Hole spacing may be increased to 2 inches centers maximum spacing along any edge when the distance between two holes exceeds 20 inches.
- (7) Position the patch over the damaged area and scribe a line on the skin around the patch.
- (8) Spotting from a corner hole in the patch, drill a .161 inch diagonal hole through the patch and the skin. Use drill (Item 18) and pin (Item 19) which acts as a stop. To do this place the drill inside the pin and set the drill in the drill chuck such that 7/16 inch to 9/16 inch of the drill is exposed when the pin is against the chuck j aws.
- (9) Place a rivet (Item (Item 13) in the drilled hole to act as a locating pin.
- (10) Drill the diagonally opposite hole and pin with a rivet.
 - (11) Drill the other two corner holes and pin.
 - (12) Drill the remaining holes.
- (13) Remove the rivets and patch. Remove any loose or flaking paint and foreign matter from the skin area within the scribed lines with abrasive paper (Item 8). It is not necessary to remove sound paint prior to patching.
- (14) Degrease the area and the matching surface of the patch. Use the cloth (Item 9) soaked with Toluene (Item 11). Allow to dry.
- (15) Degrease the correct number of rivets in toluene and allow to dry.
- (16) Liberally coat the cavity surfaces and the piece of foam that is to fit the cavity with sealant (Item 14 or Item 15). Proceed rapidly as the sealant cures quickly.

- (17) Position the coated foam in the cavity.
- (18) Coat the surface area within the scribed lines with sealant (Item 14 or 15). Fill in the drilled holes. Use a clean tongue depressor (Item 10) to spread the sealer.
 - (19) Position the patch.
- (20) Install a rivet in the gun (Item 20) touching the mandrel only. Coat the 5/32 inch diameter of the rivet with sealant, place in a central hole of a long side, and upset. Repeat for the opposite side. Install rivets in a progressive order from the installed rivets working both directions and both sides to the corners. Proceed in the same manner for the ends.
- (21) Remove all excess sealant from the patch and skin surfaces except for patch fillets and rivet head fillets. Do not use any solvents to remove the sealant.
- (22) Allow sealant 24 hours to dry. It is recommended that this drying time be at room temperature (above 65° F).
 - (23) Repaint as required (see papa 37).
- *e.* Repair of a puncture through the shelter wall but not adjacent to a structural member in a shelter without an EMI suppression requirement.
- (1) If equipment has been installed in the shelter, remove the equipment from the racks as required. In the area of the puncture, mark the position of the racks and then remove them. An effort shall be made to install the patch and rivets so they will not interfere with the racks.
- (2) The surfaces where the patches are to be applied must be flat. Cut away all wrinkled and/or jagged portions of the skin that protrude above the original skin surfaces. Define the area to be removed as a simple shape such as a rectangle. Remove the damaged skin with a circular saw (an item in TK-144/G, Appendix E) or a router. Cut away the damaged insulation to the skins using the knife (Item 17) or other cutting tool. Exercise care not to delaminate the skins at the hole circumference.
- (3) Prepare new foam (Item 12), to fit the hole. The use of insulation blocks larger than as specified in Item 12 may be desirable for large repairs as it is best if a single piece of foam is used. Insulation must be flush with both skin surfaces when installed.
- (4) Select a patch for the outer skin from Item 1 through Item 7 that overlaps the damaged area at least 1 inch in all directions. If patches as described in Item 1 through Item 7 are not large enough to properly cover the damaged area, fabricate a patch in accordance with figure 7 except the size of the patch shall be such that it will overlap the damaged area at least by 2 inches in all directions. Hole spacing may be increased to 2 inch centers maximum spacing along any edge when the distance between two corner holes exceeds 20 inches.
 - (5) Fabricate a patch for the inner skin in ac-

- cordance with figure 7 except the holes shall be countersunk to their full thickness to accept the head of a 120° countersunk 5/32 inch diagonal rivet and the size of the patch shall be such that it will overlap the damaged area at least by 1 inch in all directions for small punctures (less than 10% inches X 4% inches) or by at least 2 inches in all directions for larger punctures. Hole spacing may be increased to 2 inch centers maximum spacing along any edge when the distance between two corner holes exceeds 20 inches.
- (6) position the inner patch over the damaged area and scribe a line on the skin all around the patch.
- (7) Hold the patch in place or temporarily tape the patch in place and using a center-punch, mark the location of each of the holes on the shelter.
 - (8) Remove the patch.
- (9) Drill a .161 inch diameter hole in each ce_n -ter-punched location. Use drill (Item 18) and pin (Item 19) which is to act as a stop. To do this, place the drill inside the pin and set the drill in the drill chuck such that 7/16 inch to 9/16 inch of the drill is exposed when the pin is against the chuck jaws.
- (10) Remove any loose or flaking paint and foreign matter from the skin area within the scribed lines with abrasive paper (Item 8). It is not necessary to remove sound paint prior to patching.
- (11) Degrease the area on the shelter, the matching surface of the patch, and the correct number of countersunk rivets with toluene (Item 11). The rivets to be used on the shelter interior are 5/32 inch closed-end blind aluminum countersunk rivets (AK52H "pop" rivets supplied by USM Corp., "Pop" Rivet Division, Shelton, CT 06484 or equivalent).
 - (12) Allow degreased parts to dry.
- (13) Postition the outer patch over the damaged area on the outside of the shelter and scribe a line on the skin all around the patch.
- (14) Spotting from a corner hole in the outer patch, drill a .161 inch diameter hole through the patch and the skin. Use drill (Item 18) and pin (Item 19) which is to act as a stop. To do this place the drill inside the pin and set the drill in the drill chuck such that 7/16 inch of the drill is exposed when the pin is against the chuck jaws.
- (15) Place a rivet (Item 13) in the drilled hole to act as a locating pin.
- (16) Drill the diagonally opposite hole and pin with a rivet.
 - (17) Drill the other two corner holes and pin.
 - (18) Drill the remaining holes.
- (19) Remove the rivets and outer patch. Remove any loose or flaking paint and foreign matter from the skin area within the scribed lines with abrasive paper (Item 8). It is not necessary to remove sound paint prior to patching. Degrease the

area, the matching surface of the patch, and the correct number of rivets (Item 13) with Toluene (Item 11). Allow to dry.

- (20) Coat the inner surface of the inner skin patch with sealant (Item 14 or Item 15). Proceed rapidly as the sealant cures quickly.
 - (21) Position the patch.
- (22) Install a countersunk rivet in the gun touching the mandrel only. Coat the rivet with sealant, place in a central hole of a long side, and upset. Repeat for the opposite side. Install rivets in a progressive order from the installed rivets working both directions and both sides to the corners. Proceed in the same manner for the ends.
- (23) Remove all excess sealant from the patch and skin surfaces except for patch fillets and around the rivet heads. Do not use any solvents to remove the sealant.
- (24) Move to the exterior of the shelter. Liberally coat the cavity surfaces and the peice of foam that is to fit the cavity with sealant (Item 14 or Item 15). Position the coated foam in the cavity.
- (25) Coat the surface area within the scribed lines with sealant (Item 14 or Item 15). Fill in the drilled holes. Use a clean tongue depressor (Item 10) to spread the sealer.
 - (26) Position the patch.
- (27) Install a rivet in the gun (Item 20) touching the mandrel only. Coat the rivet with sealant, place in a central hole of a long side, and upset. Repeat for the opposite side. Install rivets in a progressive order from the installed rivets working both directions and both sides to the corners. Proceed in the same manner for the ends.
- (28) Remove all excess sealant from the patch and skin surfaces except for patch fillets and rivet head fillets. Do not use any solvents to remove the sealant.
- (29) Allow sealant 24 hours to dry. It is recommended that this drying time be at room temperature (above 65° F).
- (30) Repaint both interior and exterior as required (see para 37).
- f. Repair of a puncture through the shelter wall adjacent to a structural member in a shelter without an EMI suppression requirement.
- (1) These repairs shall be made in accordance with preceding paragraph 32e except the following notes apply:
- (a) Ensure that the structural member is sound before proceeding with repairs (see para 25).
- (b) If rivnuts have been installed in structural members in the area requiring patching it is necessary to drill clearance holes "through the patch to allow access to the rivnuts and to allow the patch to fit flush against the skin.
- (c) Where the patch spans over a structural member on the inside of the shelter a different coun-

- tersunk rivet is required from that used in the remainder of the patch due to the large difference in the grip range. It is necessary to use a 3/16 inch diameter rivet in these areas to obtain the required grip range. Use 3/16 inch closed-end blind aluminum countersunk rivets (AK66H "Pop" rivet supplied by USM Corp., "Pop" Rivet Division, Shelton, CT 06484 or equivalent rivets).
- g. Repair of Multiple Minor Skin Punctures in a shelter without an EMI suppression requirement. When an area of a panel surface is damaged by multiple minor skin punctures which are close together, it may be desirable or necessary to cover two or more punctures with one large patch. When repairs of this nature are performed, follow the same procedure as used for repairs of large minor skin breaks (para 32c). If the patch extends over a structural member, it shall also be secured to the structural member by rivets into at least one flange of the structural member.
- h. Repairs of shelters which have an EMI Suppression Requirement.
- (1) Shelters which have an EMI suppression requirement will be repaired in the same manner as the previously described repairs with the exception that prior to applying the sealant and patch to the puncture, the following procedures shall be performed.
- (2) Using the abrasive paper (Item 8) remove all paint or foreign matter from the skin surrounding the puncture at least 1 inch past the puncture in all directions. This bare metal is required for achieving adequate EMI shielding.
- (3) Clean the area using the cloth (Item 9) soaked with toluene (Item 11.) Allow to dry.
- (4) Cover the puncture with electrically conductive tape (Item 16). How the puncture is to be covered with the electrically conductive tape should be planned before actually applying the tape. The tape should overlap the puncture by at least 1 inch in all directions. If more than one width of tape is required, each strip should overlap the previous strip by at least one inch. If 3 or more strips are required the center strip(s) should be applied first.
- (5) Continue the repair as for shelters without an EMI suppression requirement. Note that the patch shall completely cover any conductive tape which has been applied.
- **33. Damaged Structural Member.** A structural member that contains a puncture or a dent which is severe enough to cause distortion of the opposite surface of the panel will normally be considered unrepairable. In these cases an evaluation should be made to determine if the damage is severe enough to render the shelter unusable. Under no circumstances should a structural member be replaced or repaired.

34. Marking Shelter. Stencil the following warning notice on all sides of the S-141()/G, S-144()/G, and S-250()/G shelters, near the bottom of the shelter, in conformance with MIL-M-13231:

DO NOT HANDLE WITH FORK LIFT This notice will not be stenciled on S-280()/G or S-318()/G Shelters as they are designed specifically for fork lift handling.

35. Accessories. *a.* S-280()/G Shelter Dolly Set

M-720 Adapter Brackets. To mount the S-280()/G Shelter on the M-720 dolly set, adapter brackets must first be secured to the shelter. If the shelter is not so equipped, adapter brackets may be ordered and secured in accordance with drawing SC-D-595001.

b. Four of the required parts have National Stock Numbers as listed below:

Item	Drawing No.	NSN
Bracket, Adapter, Bottom	SC-D-595002-1	5410-01-058-3512
Bracket, Adapter, Bottom	SC-D-595002-2	5410-01-058-3510
Bracket, Assembly, Side	SC-D-595004	5410-01-058-3511
Chock	SC-C-595005	5410-10-058-5672

CHAPTER VII

DEPOT MAINTENANCE INCLUDING

DEPOT OVERHAUL STANDARDS

- **36. Rain Flaps.** *a.* Rubber rain flaps on all top hinged louver covers and/or entrance covers should be examined and replace if required. When replacement is required it should be accomplished in accordance with paragraph 19.
- b. For shelters that do not have rain flaps over top hinged covers, the flaps should be added.
- (1) To add flaps, use one of the materials listed in paragraph 19. For the drip molding use aluminum extrusion per Alcoa die No. 627 supplied by Alcoa Co., Pittsburgh, Pennsylvania or form a channel

from approximately 1/16 inch thick flat stock aluminum with cross sectional shape as shown in figure 9.

(2) Since all shelter entrance panels are not the same it will be necessary to adapt the materials to the particular situation encountered. Cut the rubber 3½ inches wide and long enough to permit a ½ inch overlap on each end of the hinge. Cut the drip molding to the same length as the rubber flap. The molding and rain flap should be mounted approximately 2 inches above the hinge (see figure 10).




Figure 9. Drip Molding Fabrication




Figure 10. Rain Flap Installation

- (3) Attach the drip molding and rain flap with 1/8 inch diameter aluminum closed-end blind rivets. Care must be used when installing rivets since there is a tendency to cause delamination between the skin and the foam core. Applying pressure against the outer skin will help prevent delamination.
- (4) Drill clearance holes in the drip molding for the rivets spaced 3 inches apart. Make holes in the rubber flap located from the drip molding. Drill the proper size holes in the shelter located by placing the drip molding in the mounted position. Apply a heavy coat of sealer, Item 14 or 15 in paragraph *24b*, to all faying surfaces and rivets when mounting the drip molding and flap.
- **37. Painting.** *a. Shelter Exterior and Door Interior.* When the exterior of any shelter or the interior of the door is repainted, the paint to be used, regardless of the original paint system, shall be the alkyed enamel camouflage paint identified in this paragraph. When repainting an S-250()/G, S-280()/G, or S-318()/G Shelter which has an instruction plate directing the use of MIL-E-46061 enamel, the instruction plate should be painted over. Paint to be used for repainting of shelters is as follows:
- (1) *Primer.* If painting over previous coats of paint, no primer is required. If painting over bare metal surfaces, first prime with MIL-P-23377,

- Primer Coating, Epoxy-Polyamide, Chemical and Solvent Resistant. Primer should be applied in a single coat to a thickness of .0102 to .015-2-mm (.4 to .6 mil).
- (2) Paint. Unless a particular camouflage pattern is specified, use the Forest Green Alkyd Camouflage Enamel base coat per MIL-E-52798. It is available in a 1-gallon container (NSN 8010-00-111-7937) and a 7 gallon container (NSN 8010-00-111-8010). Paint should be applied to a thickness of .0381 to .0508 mm (1.5 to 2.0 mils).

NOTE

The existing paint need not be removed before applying the Camouflage Enamel; simply clean the surface well before applying the paint. If bare metal is to be painted or if the original paint is in very poor condition, prepare the surface in accordance with the instruction in MIL-F-14072, and use finish number P510.1V.

- b. Shelter Interior. When the interior of the shelter except the door, is to be repainted, use the following alkyd enamels:
- (1) Floor. Use gray enamel per Federal Specification TT-E-527, Enamel, Alkyd, Lusterless. Color is per Federal Standard 595, color chip no. 36118.

- (2) *Ceiling.* Use white enamel per Federal Specification TT-E-529, Class A, Enamel Alkyd, Semigloss. Color is per Federal Standard 595, color chip no. 27875.
- (3) *Walls.* Use light green enamel per Federal Specification TT-E-529, Class A, Enamel, Alkyd, Semigloss. Color is per Federal Standard 595, color chip no. 24533.
- (4) Louver Assemblies. Use lusterless black enamel per Federal Specification TT-E-527, Enamel, Alkyd, Lustreless. Color is per Federal Standard 595, color chip no. 37038.
- *c. Touch up Painting.* If only touchup painting is required, touchup in accordance with paragraph 15.
- d. Marking Shelter. After repainting, mark the shelter in accordance with paragraph 34.
- 38. Depot Overhaul Standards. a. Applicability of Depot Overhaul Standards. The tests outline in this section are designed to measure the mechanical performance capability of a repaired lightweight shelter. Repaired lightweight shelters that meet the minimum standards stated in the tests will furnish satisfactory performance. Applicable procedures of the depots performing these tests and the general standards for repaired electronic equipment given in TB SIG 355-1, TB SIG 355-2, and TB SIG 355-3 form a part of the requirements for testing this equipment. Tests for repaired light weight shelters are divided into two categories: The tests in (1) below apply to repairs or replacement of specific maintence items; the tests in (2) below apply to all lightweight shelters in addition to the tests indicated in (1) below. These tests must be performed in the given sequence.

NOTE


Electrical and electronic performance requirements for shelter contained equipment are included in the appropriate technical manual.

(1) Category 1 Tests


Item	Test paragraph
Lifting eye	<i>38c(3)</i>
Towing eye	<i>38c(1)</i>
Any part secured with rivets	<i>38c(3)</i>
Skin patches secured with rivets	<i>38c(4)</i>
Rivnuts and threaded fastening devices	<i>38c(5)</i>
Mountings	<i>38c(6)</i>
Preformed rubber, gasket material and	<i>38c(7)</i>
sealing stripe.	
Stenciling	<i>38c(8)</i>
Nameplates and data plates	<i>38c(9)</i>
Floor tread	<i>38c(10)</i>
Finish, protective	<i>38c(11)</i>
Final paint film	<i>38c(12)</i>
(2) Category 2 Tests	
Item	Test paragraph
Lubrication	38d(1)
Visual and Mechanical	38d(2)
Electromagnetic Interference Suppres-	38d(3)
sion (to be performed only if EMI	
suppression is a requirement).	
Construction Tightness	38d(4)
Lifting and Tiedown Provisions	38d(5)

b. Test Facilities Required

- (1) Test fixture for performing lifting eye and towing eye load test.
- (2) Construction tightness test equipment including a drain fixture, manometer with 0.1 inch or less graduations, air regulator, air supply (dry filtered air) and miscellaneous rubber tubing and fittings as required. The drain fixture is a device which enables the air supply line and the manometer tubing, to be admitted to the shelter through the drain hole while sealing the drain hole to prevent air leakage. Although it is possible to use a putty-like material packed around the manometer tubing and air supply line where they enter the drain hole, a gasketed drain fixture is more desirable.



EXAMPLES FOR TESTING A LIFTING EYE AT LOCATION A



EXAMPLES FOR TESTING A TOWING EYE AT LOCATION B

EL5VT011

Figure 11. Lifting and Towing Eye Pull Load Test Directions

(3) Dynameter or crane scale.

c. Tests for Repaired or Replaced Maintenance Items

NOTE

When performing the tests below, thoroughly check the repaired or replaced maintenance item and the surrounding area of the shelter. Cleaning processes performed during repair or replacement should have no bad effects on the light-weight shelter.

(1) Lifting eye. Each lifting eye shall be subject to a tensile load, applied in each of the three mutually perpendicular directions which are described by the line of intersection of two adjacent panels (directions are as shown in figure 11). The test shall be performed by outward pulls between each adjacent pair of eyes. The test shall be made

with a suitable dynamometer having an accuracy of 1/2 of 1 percent of the indicated scale reading. The test will result in no visible cracking, weakening, or permanent deformation to the lifting eye assembly or associated shelter area, and no sealer separation or cracking around the assembly. Listed below are the applicable tensile loads for each shelter:

Shelter	Tensile load	
	(1 b)	
S-141()/G bearing order number prior to		
1963	8,000	
S-141()/G bearing order number after		
1963	11,000	
S-144()/G	3,000	
S-250()/G	5,000	
S-280()/G	11,000	
S-280()/G where the pull involves a		
towing eye	8,000	
S-318()/G	3,000	

(2) Towing eye. Each towing eye shall be subjected to a tensile load applied in each of the three mutually perpendicular directions which are described by the line of intersection of two adjacent panels (directions are shown in figure 11). The test shall be performed by outward pulls between each adjacent pair of eyes. The test shall be made with a suitable dynamometer having an accuracy of 1/2 of 1 percent of the indicated scale reading. The test will result in no visible cracking, weakening, or permanent deformation to the towing eye assembly or associated shelter area, and no sealer separation or cracking around the assembly. Listed below are the applicable tensile loads for each shelter:

Shelter	Tensile Load
	(Ib))
S-141()/G bearing an order number	
prior to 1963	8,000
S-141()/G bearing an order number af-	
ter 1963	11,000
S-144()/G	3,000
S-250()/G	5,000
S-280()/G	8,000
S-318()/G	3,000

- (3) Any part secured with rivets. The thickness of countersunk metal which accepts the heads of flush rivets should be not less than the height of the rivet heads. This does not apply to rivets used for delamination repairs or patching of interior skin breaks. The distance from the center of the rivet holes to the edge of the material in which the holes are formed should be at least 1½ times the rivet diameter.
- (4) Skin patches secured with rivets. Each riveted skin patch should show no sign of distortion or warp. All skin patches should match the original contour of the shelter skin.
- (5) Rivnuts and threaded fastening devices. All replaced rivnuts and threaded fasteners should be monitored and tested during installation. Refer to paragraph 30 for additional instructions.
- (6) *Mountings.* Brackets, lugs, flanges, inserts, bolts, and other mounting arrangements shall be

such as to retain components and parts securely when the shelter is subjected to specific service conditions.

- (7) Preformed rubber, gasket material, and sealing strips. Preformed rubber, gasket material, and sealing strips should be neatly and evenly applied. All weather gaskets shall be secured in place with sealant. A coating of talcum powder will be applied to the exposed surfaces to prevent mating parts from sticking to each other.
- (8) *Stenciling.* Stenciled markings should conform to MIL-M-13231. Except for the S-280()/G and S-318()/G shelters, stenciled markings shall include the warning of paragraph 34.
- (9) Nameplates and data plates. Whenever possible, the original nameplates and data plates should be retained on the repaired shelter. If nameplates have been lost or damaged, new nameplates should conform to MIL-STD-130. Data plates must include appropriate instructions for normal transit and an aircraft loading data plate. If aircraft loading data plates have been lost or damaged, new data plates should bear the correct loading information for the repaired lightweight shelter and shall use SC-D-82768 as a guide.
- (10) *Floor tread.* Replaced floor treads should be neatly and evenly applied (para 18) and withstand a dielectric test at 500 volts alternating current (at) root mean square (rms).
- (11) *Finish, protective.* All reworked surface areas should have protective finish applied in accordance with MIL-F-14072 (see para 37).
- (12) *Final paint film.* The final paint film shall be in accordance with paragraph 37.
 - d. Tests for Each Repaired Lightweight Shelter.
- (1) Lubrication. All vent hinges and door mechanisms shall be disassembled and the wearing surfaces cleaned and lubricated as indicated in paragraph 14. No door latch shall exhibit any binding. Broken latch parts shall be replaced.
- (2) Visual and mechanical. The repaired lightweight shelter shall meet the follwoing minimum acceptable standards:


•	
Item	Minimum acceptable standard
Assembled parts	All parts should be assembled in the
	proper sequence with no missing,
	inoperative defective, bent, broken,
	or otherwise damaged part which
	could cause malfunction or become
	inoperative or unsafe for service.
Hinges	All hinges should be of the proper
	size and type to accomplish their
	intended function without
	premature breakdown, with no
	noticeable interference, binding, or
	galling. Hinge parts shall not be
	removable from outside the shelter.
	Surfaces should be free of rust with
	no discoloration of the finish.
Latching devices	All threaded parts or devices should
and fasteners.	be of the proper type, class, and

Skin patches Swith no crossed threads, or burred or mutilated heads. All screws in tapped parts should engage for a distance at least equal to the diameter of the screw. There should be no evidence of loose lock washers or warpage of distortion of metring parts. Skin patches Skin should be not evidence of loose lock washers or warpage of distortion of metring parts. Skin should be not evidence of loose lock washers or warpage of distortion of metring parts. Skin patches All metring parts. Skin patches All property of the skin surface with no evidence of loose lock which would produce localized stresses resulting in distortion or warping. There shall be no evidence of loose ness, parallel to the plane of the mating surfaces from undersized holes. There shall be no evidence of loose ness, parallel to the plane of the mating surfaces from undersized rivet shank diameter or oversized holes. There shall be no evidence of loose ness, parallel to the plane of the mating surfaces. Distortion or warping of mating surfaces should be not exceed one thirty-second inch, and there should be no foreign material such as metal chips or dirt believes riveted surfaces. All rivets shall be dipped in scalant prior to the plane of the metal surfaces should be of the proper color and should be toff the plane of the metal surfaces should be not accessed on the proper should be not plane and plane of the proper plane plane and plane				
screeces in tapped parts should congage for a distance at least equal to the diameter of the screw. There should be no retidence of loss for the state of the shall be properly attached and shall not be damaged. Skin patches All skin patches should be properly to making parts. Skin patches All skin patches should be properly to the skin surface with no evidence of iregularities in securing devices which would produce localized stresses resulting in dissortion or warping. Corrosion All surfaces of the shelter should be free of corrosion before final finish is applied. Riveting All surfaces of the shelter should be free of corrosion before final finish is applied at stresses resulting in dissortion or warping. Corrosion All surfaces of the shelter should be free of corrosion before final finish is applied at stresses resulting in dissortion or warping. Corrosion All storing and lifting eyes shall be properly attached and shall not be damaged. When used, floor overings shall be properly attached and shall not be damaged. Doors and covers Paint properly attached and shall be properly attached and shall not be damaged. Doors and covers Doors and	Item	Minimum acceptable standard	Item	Minimum acceptable standard
screws in tapped parts should engage for a distance at least equal to the diameter of the screw. There should be no evidence of loase leak washers or warpage or distortion of most between the seam and secured to the skin surface with ne evidence of irregularities in securing devices which would produce localized stresses resulting in distortion or warping. Corrosion All surfaces of the shelter should be free for corrosion before final finish. Riveting There shall be no evidence of looseness, parallel to the plane of the mating surfaces from undersized rives shank diameter or oversized holes. There shall be no evidence of looseness, perpendicular to the plane of the mating surfaces from undersized rives shank diameter or oversized holes. There shall be no evidence of looseness, perpendicular to the plane of the mating surfaces from undersized rives shank diameter or oversized holes. There shall be no evidence of looseness, perpendicular to the plane of the mating surfaces from rives not tightly send and there should be no foreign material such as metal chips or district between riveted surfaces. All rivets shall be dipped in scalant prior to installation. Hardware finishes All total chips of district between riveted surfaces and the dipped in scalant prior to installation. Hardware finishes proper or oversign agents. Painting All instruction or warping. Castings All instruction plates should be of the proper color and adhesion with no blisters, pits, chips, cracks, flating, or unspective processing agents. Painting All instruction plates should be of the proper color and adhesion with no blisters, pits, chips, cracks, flating, or unspective processing agents. Painting All instruction plates should be offered from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, induced to the proper oriented, and in complete view. All marking materials should be often properly oriented, and in complete view. All marking materials should be often properly oriented, and in complete v				<u> </u>
cingage for a distance at least equal to the diameter of the screw. There should be no evidence of loss lock washers or warping contained with sealant and secured to marting parts. Skin patches All skin patches should be properly bonded with sealant and secured to marting parts. All skin patches should be properly bonded with sealant and secured to irregularities in securing devices which would produce localized stresses resulting in distortion or warping. Corrostion All surfaces of the shelter should be free of corrosion before final finish is applied. Riveting There shall be no evidence of losseness, parallel to the plane of the surface plane of the plane of the matting surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal clips or distinct on warping of mating surfaces. Should not exceed one thirty-second inch, and there should be no foreign material such as metal clips or distinct the plane of the mating surfaces. Should not exceed one thirty-second inch, and there should be no foreign material such as metal clips or distinct the plane of the mating surfaces. Should not exceed one thirty-second inch, and there should be no foreign material such as metal clips or distinct the plane of the mating surfaces. Should not exceed one thirty-second inch, and there should be no foreign material such as metal clips or distinct the proper color and should extend evenly throughout the finished area with no debrisk powers processing agents. Painting All bardware finishes All bardware finishes should be of the proper color and should extend evenly throughout the finished area with no debrisk powers processing agents. Painting All marks, checks, pits, or residuals of corrosive processing agents. Painting All marks, achieves processing agents. Painting All marking should be of the proper of a mark and adhesion with no blates; pits clips, cracks. Binking or unsaying agents. Painting All marking should be of the proper of a mark and adhesion with no blates; pits c			Skids	
should be no evidence of loose lock-washers or warpage or distortion of muting parts. Skin patches All skin patches should be properly bended with sealant and secured to the skin surface with no evidence of irregularities in securing devices which would produce localized securing devices and the place of the shell produced in the place of the matting surfaces from understood local reversity and the place of the matting surfaces from understood local reversity and the place of the matting surfaces should be not provide a dequate one thirty second inch, and there should be no foreign material such as metal chips or direct shall be dispod in sealant prior to installation. Hardware finishes All hardware finishes should be of the proper color and should extend everily throughout the finished and everily throughout the finished account of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly cortained and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly cortained and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should be properly oriented, and in complete view. All marking materials should be of permanent type, or manner, the proper oriented and incomplete view. All marking materials should be offered or the proper oriented and incomplete view. All marking materials should be offered		11 1	Towing and lifting	
washers or warpage or distortion of mating parts. Skin patches All skin patches should be properly bended with sealant and secured to the skin surface with no evidence of irregularities in securing devices which would produce localized stresses resulting in distortion or warping. Corrosion All surfaces of the shelter should be free of corrosion before final finish is applied. The evidence of losses of the shelter should be free of corrosion before final finish is applied. The evidence of losses of losseness, perpendicular to the plane of the mating surfaces from understand rivet shank diameter or oversized holes. There shall be no evidence of losseness, perpendicular to the plane of the mating surfaces from mirvets not tightly seated against bering surfaces. Should not exceed one thirty-second inch, and there should be no foreign material such as metal chips of drive between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes All hardware finishes should be of the proper color and adhesion with no blisters, pits, chips, racks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or oversports, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. All castings should be free from surface cracks, prosstres, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. All marking materials should be cornect, legible, properly oriented, and in complete view. All marking materials should the drawings for the particular shelter. Marking All marking should be cornect, legible, properly oriented, and in complete view. All marking materials should be continuities, shrinkage, unsightly tool marks, recesses, sharp corners and independent plates. All advances the delay of the should be delayed to the advance of the drawings for the particular shelter. Marking All marking materials should as the delayed of the d			o o	properly attached and shall not be
mating parts. All skin patches should be properly bonded with sealant and secured to the skin surface with no evidence of irregularities in securing devices which would produce localized stresses resulting in distortion or warping. Corrosion All surfaces of the shelter should be free shall be no evidence of loosenes, perspendicular to the mating surfaces from understred rivet shank diameter or oversized holes. There shall be no evidence of looseness, perspendicular to the plane of the mating surfaces from invests not tightly scated against bearing surfaces. Distortion or warping of mating surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal chips or direct between riveted streets, and there should be no foreign material such as metal chips or direct between riveted streets, and there should be not foreign material such as metal chips or direct between riveted streets, and there should be not foreign material such as metal chips or direct between riveted surfaces. All rivets against a spents. Painting All finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burrs, blisters, going marks, checks, pits, creaks, laking, or unsightly scratches. Finishes should be free from strate or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should be fixed of the deduct coverage, with no spents. Provide adequate coverage, with no spents. Painting All marking should be free from strate or the proper viole and counting and mark and the property oriented, and in complete should be provide adequate fillets. Painting All marking should be free from strates or the proper violented, and in complete with the composition of the counting and marking and marking and provide and seal was a deal that a plates, and instruction plates shall be consequently and the proper violented and the prope			FI .	S
All skin patches should be properly bended with sealant and secured to the skin surface with no evidence of irregularities in securing devices which would produce localized stresses resulting in distortion or warping. Corrosion All surfaces of the shelter should be free of corrosion before final finish is applied. Riveting There shall be no evidence of locations that the control installation. Riveting Ender the plane of the matter should be no from rivets and tightly seated against bearing surfaces. Distortion or warping of mating surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal chips or direct shank diameter or oversized holes. There shall be no evidence of locations the plane of the mating surfaces. Distortion or warping of mating surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal chips or direct between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes All flardware finishes should be of the proper color and alhosion with no blisters, pits. chips. cracks. Raking, or unsightly scratches. Finishes should be provide adequates coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Painting All flashes should be of the proper color and alhesion with no blisters, pits. chips. cracks. Raking, or unsightly scratches. Finishes should provide adequates coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating should be free from surface cracks, prostities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and hand quante filtes. All discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and hand the corner of dirt of other foreign matter embedded in the coating and maintain space and sharp to the care of the proper or every and the proper or e			Floor coverings	· ·
bonded with sealant and secured to the skin surface with ne ordence of irregularities in securing devices which would produce localized stresses resulting in distortion or warping. Corrosion All surfaces of the shelter should be free of corrosion before final finish is applied. Riveting There shall be no evidence of looseness, perpendicular to the plane of the matting surfaces from undersized river shank diameter or oversized boles. There shall be no evidence of looseness, perpendicular to the plane of the matting surfaces from undersized river shank diameter or oversized boles. There shall be no evidence of looseness, perpendicular to the plane of the matting surfaces should not exceed one thirty-second inch, and the content of the proper color and should extend evenly throughout the finished area with no debris, burrs, blisters, going e marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Flinishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and should extend evenly throughout the finished area with no debris, burrs, blisters, going marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Flinishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and should extended in the casting should be offered from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and madepase filters. All marking should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and madepase filters. All marking should be free from surface cracks, porosities, blowholes, flating eye casting the properly languaged and shall loperate surface	Skin patches			3
Corrosion All surfaces of the shelter should be fee fororesion before final finish is applied. Riveting There shall be no evidence of looseness, perpendicular to the plane of the matring surfaces from undersized rivet shank diameter or oversized boles. There shall be no evidence of looseness, perpendicular to the plane of the matring surfaces from undersized rivet shank diameter or oversized boles. There shall be no evidence of looseness, perpendicular to the plane of the matring surfaces from undersized rivet shank diameter or oversized boles. There shall be no evidence of looseness, perpendicular to the plane of the matring surfaces. Distortion or warping of matring surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal chips or dirt. Lift and tiedown assembly aliable supplied adaptate covered with the plane of the matring surfaces should be not exceed one thirty-second inch, and there should be not foreign material such as metal chips or dirt. Lift and tiedown assembly aliable species of demanged and shall not be missed to the plane of the matring surfaces should be not exceed one thirty-second inch, and there is should be not evidence of looseness, perpendicular to the plane of the matring surfaces should be not evidence of looseness, perpendicular to the plane of the matring surfaces should be not evidence of looseness, perpendicular to the plane of the matring surfaces should be remarked accurately. Painting All insides should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or residuals of corrosive processing agents. Painting All insides should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or usightly scratches. Flinishes should provide adequate coverage, with no trum marks, corage peel, or oversymments and should extended on the coating agents. Painting All marking should be free from surface cracks, prostities, blowholes, discontinuities, shirts, pressure and the proper	•		Drain plug	Drain plug shall be undamaged and
which would produce stresses resulting in distortion or warping. Corrosion All surfaces of the shelter should be free of corrosion before final finish is applied. Riveting There shall be no evidence of looseness, parallel to the plane of the mating surfaces from undersized holes. There shall be no evidence of looseness, perpendicular to the plane of the mating surfaces from rivets not tightly seated against bearing surfaces. Distortion or warping of mating surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal chips or ditter between rivetes shall be dipped in scalant prior to installation. Hardware finishes All hardware finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burrs, blisters, gouge marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking or unsightly stratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overage of durin of other foreas one everage or or during the color of the should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Castings All castings should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be orrect, legible, properly oriented, and in complete view. All marking materials should be of permanent type. All dimensions should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. All dimensions should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. All dimensions should be oriented in the drawings for the particular shelter. Nameplates and data plates, and instruction plates shall be attached and			Danna and assume	-
Stresses resulting in distortion or warping. All surfaces of the shelter should be free of corrosion before final finish is applied. Riveting There shall be no evidence of looseness, parallel to the plane of the mating surfaces from undersized rivet shank diameter or oversized holes. There shall be no evidence of looseness, perpendicular to the plane of the mating surfaces from the plane of the mating surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal chips of the peroper color and should extend evenly throughout the finished area with no debris, burss, blisters, going marks, checks, pits, chips, cracks, flaking or unsightly seratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All Castings should be free from surface cracks, pornestites, shrinkage, unsightly tool marks, recesses, shap corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Marking All dimensions should be correct, legible, properly oriented, and in complete view. All marking materials should be pof permanent type. Marking All dimensions should be correct, legible, properly oriented, and in complete view. All marking materials should be for the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates, and instruction plates shall be con-		e e	Doors and covers	
Corrosion All surfaces of the shelter should be fee for corrosion before final finite is applied.				
Riveting There shall be no evidence of loosemes, parallel to the plane of the mating surfaces from undersized rivet shank diameter or oversized holes. There shall be no evidence of looseness, perpendicular to the plane of the mating surfaces from rivets not tightly seated against bearing surfaces, Distortion or warping of mating surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal chips or dirt between riveted surfaces. All rivets as shall be dipped in sealant prior to installation. Hardware finishes All hardware finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burns, blisters, going marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter enembedded in the coating. Castings All castings should be free from surface cracks, porosities, shrinkage, unsightly tool marks, recesses, sharp corners and madequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be properly oriented, and in complete view. All marking materials should be so permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates, and instruction plates shall be attached and shall locorrect in the drawings for the particular shelter. Nameplates and data plates and data plates, and instruction plates shall be attached and shall locorrect in the data was a step and shall operate and without leakage when tested as follows: NoTE				
Riveting There shall be no evidence of looseness, parallel to the plane of the mating surfaces from undersized rivet shank diameter or oversized holes. There shall be no evidence of looseness, perpendicular to the plane of the mating surfaces from undersized rivet shank diameter or oversized holes. There shall be no evidence of looseness, perpendicular to the plane of the mating surfaces bistortion or warping of mating surfaces should not exceed one thirty second inch, and there should be no foreign material such as metal chips or dirt between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes Hardware finishes All hardware finishes should be the proper color and should extend evenly throughout the finished area with no debrits, burns, blisters, gouge marks, checks, pits, or residuals of corrostive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspay marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, hlowholes, discentinuities, shrinkage, unsightly tool marks, recesses, shary corners and inadequate fillets. Marking All marking should be free from surface cracks, porosities, blowholes, discentinuities, shrinkage, unsightly tool marks, recesses, shary corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete with the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates, and instruction plates shall be attached and shall be correct without leakage when tested as follows: Note: All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter.	Corrosion			
Riveting There shall be no evidence of losseness, parallel to the plane of the mating surfaces from undersized rivet shank diameter or oversized holes. There shall be no evidence of losseness, perpendicular to the plane of the mating surfaces from rivets not tightly seated against bearing surfaces. Distortion or warping of mating surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal chips or dirt between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes Hardware finishes All finishes should be of the proper color and should extend evenly, throughout the finished area with no debris, burns, blisters, going marks, checks, pits, chips, cracks, flaking, or unsightly scratches. Finishes should be provide adequate coverage, with norun marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface, and coating. All marking should be correct, legible, properly oriented, and in complete wew. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates, and instruction plates shall be attached and shall be correct legible, properly oriented, and in complete without leakage when tested as follows: Nameplates and data plates, and instruction plates shall be attached and shall be correct legible, properly oriented, and in complete without leakage when tested as follows: Nameplates and data plates, and instruction plates shall be attached and shall be correct. Equilibration of this test shall be con-			assembly	
mating surfaces from undersized holes. There shall be no evidence of looseness, perpendicular to the plane of the mating surfaces from rivets not tightly seated against bearing surfaces. Distortion or warping of mating surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal chips or dirt between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes Hardware finishes All hardware finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burrs, blisters, gouge marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking or unsightly stratches. Finishes should provide adequate coverage, with no run marks, orange peel, or oversyay marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porsoities, blowholes, discontinuities, shirnkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete with All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates and data plates Nameplates and data plates All portions of this test shall be con-	Riveting	There shall be no evidence of loose-	Punctures and delam-	•
holes. There shall be no evidence of looseness, perpendicular to the plane of the mating surfaces from rivets not tightly seated against bearing surfaces. Distortion or warping of material such as metal chips or dither between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes All hardware finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burns, blisters, gouge marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burns, blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with nor un marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, prossities, blowholes, discontinuities, shrinkage, unsightly to domarks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, reproperly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All marking should be correct, legible, reproperly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All marking should be correct, legible, reproperly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All marking should be correct, legible, reproperly oriented, and in complete view. All marking materials should be of permanent type. All marking should be correct indeed in the drawings for the particular shelter. Nameplates and data plates Nameplates and data plates Nameplates and data plates All plates and data plates All portions of this test shall be con-		•	ations	
holes. There shall be no evidence of looseness, perpendicular to the plane of the mating surfaces from rivets not tightly seated against bearing surfaces. Distortion or warping of mating surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal chips or dirt between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes All hardware finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burrs, blisters, gouge marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches, Finishes should provide adequate coverage, with nor run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates and data plates All marking and and shall operate smoothly visible. If a repair covers such a mark it shall be remarked accurately. Roof access steps hall not be missing or damaged and shall operate smoothly Roof hand hold Roof hand hold shall not be missing or damaged and shall operate smoothly Roof hand hold shall not be missing or damaged and shall operate smoothly Roof hand hold shall obe a mark it shall be remarked accurately. Roof access steps all not be damaged and shall operate smoothly Roof hand hold shall operate smoothly Roof hand hold shall obe a mark it shall be repaired. Roof access steps all		· ·		-
plane of the mating surfaces from rivets not tightly seated against bearing surfaces. Distortion or warping of mating surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal chips or dirt between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes All hardware finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burrs, blisters, gouge marks, checks, pits, or residuals of corrorsive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with nor un marks, crage peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. All dimensions should be offer for low in marks, creases, sharp corners and late and plates and data plates. All marking should be correct, legible, and the dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates, and instruction plates shall be correct without leakage when the steet as follows: NoTE All portions of this test shall be con-		holes. There shall be no evidence of	Mounting Member	Mounting Member Center Line marks
rivets not tightly seated against bearing surfaces. Distortion or warping of mating surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal chips or dirt between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes All hardware finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burrs, blisters, gouge marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flashing, or unsightly scratches. Finishes should provide adequate coverage, with no run marks. orange peel, or overspray marks and shown no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, sherinkage, unsightly tool marks, excesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates, and instruction plates shall be correct. Nameplates and data plates, and instruction plates shall be correct.			Center Lines	`
hearing surfaces. Distortion or warping of mating surfaces should not exceed one thirty-second inch, and there should be no foreign material such as metal chips or dirt between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes All hardware finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burrs, blisters, gouge marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates and data plates All glies and instruction plates shall be attached and shall operate smoothly moth had hold small hold shall not be missing or damaged and shall operate smoothly amount of damaged and shall operate smoothly moth had look and hall operate smoothly moth had hold shall not be missing or damaged and shall operate smoothly plates shall the filter sasembly shall fit properly installed when this capability is required for the sasembly shall fit properly. Sealing and sasembly shall fit properly installed when this capability is required for the selection on the outside of the shelter including hardware items such as the edges of all overlapping joints on the outside of the shelter including hardware items such as the edges of all overlapping				
not exceed one thirty-second inch, and there should be no foreign material such as metal chips or dirt between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes All hardware finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burns, blisters, gouge marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking and data plates Nameplates and data plates Nameplates and data plates All mere and data plates All dimensions should be correct, legible, properly oriented, and in complete view. All marking does not make the particular shelter. All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates All gleech or served and shall operate smoothly Roof hand hold Roof hand hold amaged and shall operate smoothly Roof hand hold amaged and shall operate smoothly Roof hand hold amaged and shall operate smoothly Bold and sheller. Roof hand hold amaged and shall operate smoothly Bold and sheller. Roof hand hold Amaged and shall operate smoothly Bold line filter assembly seall fit properly. Sealing A fillet of sealant shall be properly installed when this capability is required for the shelter. Inlet filter Inlet filter Sealing A fillet of sealant shall seproperly on the outside of the shelter including hardware t				_
and there should be no foreign material such as metal chips or dirt between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes All hardware finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burns, blisters, gouge marks. checks, pits. or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking abould be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All marking and to the proper color and shelfer in the drawings for the particular shelter. Nameplates and data plates Nameplates and data plates All therefore should be of the proper color and should extend eand shall obe orrect distributes of the shelter in seasombly Sealing A fillet of sealant shall be present at the edges of all overlapping joints on the outside of the shelter in cluding hardware items such as the lifting eye castings, hinges, and roof access step pans. (3) Electromagnetic interference (EMI) suppression requirement, it shall provide at least 60db attenuation when tested for EMI suppression in accordance with MIL-STD-285 at each of the following conditions: (a) One frequency in the 150 to 200 KHz range for low impedance magnetic field. (b) 0.2 MHz, 1.0 MHz for high impedance electric field. (c) 400MHz, 1000 MHz, and 10,000 MHz for plane waves. (4) Construction tightness. The shelter shall be airtight to the extent that it shall be capable of achieving and maintaining a			Roof access steps	
material such as metal chips or dirt between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes All hardware finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burrs, blisters, gouge marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign mater embedded in the coating. Castings All castings should be free from surface cracks, porestites, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking abould be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates and data plates Marking Marking All parking materials should be attached and shall obe correct and and plates, and instruction plates shall be careated bare and shall obe attached and shall obe order damaged and shall operate smoothly EMI shielding DIMI shielding brievices shall be properply installed when this capability is required for the shelter. Inlet filter assembly shall fit properly. Sealing A fillet of sealant shall be present at the edges of all overlapping joints on the outside of the shelter including hardware items such as the lifting eye castings, hinges, and roof access step pans. (3) Electromagnetic interference (EMI) suppression in accordance with MIL-STID-285 at each of the following conditions: (a) One frequency in the 150 to 200 KHz range for low impedance magnetic field. (b) 0.2 MHz, 1.0 MHz for high impedance electric field. (c) 400MHz, 1000 MHz, and 10,000 MHz				
between riveted surfaces. All rivets shall be dipped in sealant prior to installation. Hardware finishes All hardware finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burns, blisters, gouge marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates and data plates All portions of this test shall be correct. All portions of this test shall be con-			Roof hand hold	· ·
Hardware finishes All finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burrs, blisters, gouge marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be off the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates and data plates All portions of this test shall be correct All portions of this test shall be con-				damaged and shall operate
Hardware finishes All hardware finishes should be of the proper color and should extend evenly throughout the finished area with no debris, burrs, blisters, gouge marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly installed when this capability is required for the shelter. Inlet filter assembly shall fit properly. Sealing A fillet of sealant shall be present at the edges of all overlapping joints on the outside of the shelter including hardware items such as the lifting eye castings, hinges, and roof access step pans. (3) Electromagnetic interference (EMI) suppression. When the shelter has an electromagnetic interference (EMI) suppression with the shelter has an electromagnetic interference (EMI) suppression when the shelter including hardware items such as the lifting eye castings, hinges, and roof access step pans. (3) Electromagnetic interference (EMI) suppression when the shelter including hardware items such as the lifting eye castings, hinges, and roof access step pans. (3) Electromagnetic interference (EMI) suppression when the shelter including hardware items such as the lifting eye castings, hinges, and roof access step pans. (3) Electromagnetic interference (EMI) suppression when the shelter including hardware items such as the lifting eye castings, hinges, and roof access step pans. (3) Electromagnetic interference (EMI) suppression in accord ance with MIL-STD-285 at each of the following conditions: (a) One frequency in the 150 to 200 KHz			EMI abialdina	
the proper color and should extend evenly throughout the finished area with no debris, burrs, blisters, gouge marks, checks, pits, or residuals of corrosive processing agents. Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates, an incraft loading data plates and least ached and shall be correct tested. Nameplates and data plates A fillet of sealant shall be present at the edges of all overlapping joints on the outside of the shelter including hardware items such as the lifting eye castings, hinges, and roof access step pans. Inlet filter Inlet filter assembly Sealing A fillet of sealant shall be present at the edges of all overlapping joints on the outside of the shelter including hardware items such as the lifting eye castings, hinges, and roof access step pans. Inlet filter Inlet filter assembly Sealing A fillet of sealant shall be present at the edges of all overlapping joints on the outside of the shelter including hardware items such as the lifting eye castings, hinges, and roof access step pans. Inlet filter Inlet filter Inlet filter Inlet filter assembly Sealing A fillet of sealant shall be present at the edges of all overlapping joints on the outside of the shelter. Inlet filter Inlet filter Inlet filter Inlet filter Inlet filter Inlet filter Inlet fil	Hardware finishes		EMI snielding	
Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates. Nameplates and data plates. Afillet of sealant shall be present at the edges of all overlapping joints on the outside of the shelter including hardware items such as the lifting eye castings, hinges, and roof access step pans. (3) Electromagnetic interference (EMI) suppression. When the shelter has an electromagnetic interference (EMI) suppression requirement, it shall provide at least 60db attenuation when tested for EMI suppression in a ccordance with MIL-STD-285 at each of the following conditions: (a) One frequency in the 150 to 200 KHz range for low impedance magnetic field. (b) 0.2 MHz, 1.0 MHz for high impedance electric field. (c) 400MHz, 1000 MHz, and 10,000 MHz for plane waves. (4) Construction tightness. The shelter shall be airtight to the extent that it shall be capable of achieving and maintaining a pressurized state without leakage when tested as follows: NOTE All dimensions of this test shall be con-	Tial aware minories			1 1 3
gouge marks, checks, pits, or residuals of corrosive processing agents. All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking Marking A fillet of sealant shall be present at the edges of all overlapping joints on the outside of the shelter including hardware items such as the lifting eye castings, hinges, and roof access step pans. (3) Electromagnetic interference (EMI) suppression. When the shelter has an electromagnetic interference (EMI) suppression in a ccordance with MIL-STD-285 at each of the following conditions: (a) One frequency in the 150 to 200 KHz range for low impedance magnetic field. (b) 0.2 MHz, 1.0 MHz for high impedance electric field. (c) 400MHz, 1000 MHz, and 10,000 MHz for plane waves. (4) Construction tightness. The shelter shall be airtight to the extent that it shall be capable of achieving and maintaining a pressurized state without leakage when tested as follows: Nameplates and data plates, and instruction plates shall be correct. Nameplates and data plates, and instruction plates shall be correct. A fillet of sealant shall be present at the edges of all overlapping joints on the outside of the shelter including hardware items such as the lifting eye castings, hinges, and roof access step pans. (3) Electromagnetic interference (EMI) suppression requirement, it shall be received at least 60db attenuation when tested for EMI suppression in a accordance with MIL-STD-285 at each of the following conditions: (a) One frequency in the 150 to 200 KHz range for low impedance magnetic field. (b) 0.2 MHz, 1.00 MHz, and 10,000 MHz delectric field. (c) 400			T 1 . 61.	
Painting Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks. flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking Marking Af fillet of sealant shall be present at the edges of all overlapping joints on the outside of the shelter including hardware items such as the lifting eye castings, hinges, and roof access step pans. (3) Electromagnetic interference (EMI) suppression. When the shelter has an electromagnetic interference (EMI) suppression in accordance with MIL-STD-285 at each of the following conditions: (a) One frequency in the 150 to 200 KHz range for low impedance magnetic field. (b) 0.2 MHz, 1.0 MHz for high impedance electric field. (c) 400MHz, 1000 MHz, and 10,000 MHz for plane waves. (4) Construction tightness. The shelter shall be airright to the extent that it shall be capable of achieving and maintaining a pressurized state without leakage when tested as follows: Nameplates and data plates, and instruction plates shall be attached and shall be correct All portions of this test shall be con-				inlet filter assembly snall fit properly.
Painting All finishes should be of the proper color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates, and instruction plates shall be attached and shall be correct All portions of this test shall be con-			· ·	A fillet of sealant shall be present at
color and adhesion with no blisters, pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates, and instruction plates shall be attached and shall be correct Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates, and instruction plates shall be attached and shall be correct All portions of this test shall be con-	5			
pits, chips, cracks, flaking, or unsightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates, aircraft loading data plates, and instruction plates shall be correct leaking and maintaining a pressurized state without leakage when tested as follows: All portions of this test shall be con-	Painting			
sightly scratches. Finishes should provide adequate coverage, with no run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates, aircraft loading data plates, and instruction plates shall be attached and shall be correct All portions of this test shall be con-				
run marks, orange peel, or overspray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates and instruction plates shall be attached and shall be correct All portions of this test shall be con-				
spray marks and show no evidence of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates and data plates All portions of this test shall be con-			(3) Electromag	netic interference (EMI) sup-
of dirt of other foreign matter embedded in the coating. Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates, and instruction plates shall be attached and shall be correct All portions of this test shall be con-				
Castings All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates and data plates All castings should be free from surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates, and instruction plates shall be correct Nameplates and data plates and shall be correct All portions of this test shall be con-				
surface cracks, porosities, blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions Dimensions Dimensions Nameplates and data plates Nameplates Dimensions Surface cracks, porosities, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. (a) One frequency in the 150 to 200 KHz range for low impedance magnetic field. (b) 0.2 MHz, 1.0 MHz for high impedance electric field. (c) 400MHz, 1000 MHz, and 10,000 MHz for plane waves. (4) Construction tightness. The shelter shall be airtight to the extent that it shall be capable of achieving and maintaining a pressurized state without leakage when tested as follows: NOTE All portions of this test shall be con-	Continue			
blowholes, discontinuities, shrinkage, unsightly tool marks, recesses, sharp corners and inadequate fillets. Marking Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates and instruction plates shall be attached and shall be correct All portions of this tonowing conditions. (a) One frequency in the 150 to 200 KHz range for low impedance magnetic field. (b) 0.2 MHz, 1.0 MHz for high impedance electric field. (c) 400MHz, 1000 MHz, and 10,000 MHz for plane waves. (4) Construction tightness. The shelter shall be airtight to the extent that it shall be capable of achieving and maintaining a pressurized state without leakage when tested as follows: NOTE All portions of this test shall be con-	Castings	. •		
recesses, sharp corners and inadequate fillets. Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates, and instruction plates shall be attached and shall be correct Nameplates and data plates Nameplates and data plates Nameplates and data plates Nameplates and data plates and instruction plates shall be attached and shall be correct All portions of this test shall be con-				
Marking All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates, and instruction plates shall be attached and shall be correct (b) 0.2 MHz, 1.0 MHz for high impedance electric field. (c) 400MHz, 1000 MHz, and 10,000 MHz for plane waves. (4) Construction tightness. The shelter shall be airtight to the extent that it shall be capable of achieving and maintaining a pressurized state without leakage when tested as follows: NOTE All portions of this test shall be con-				
All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates, and instruction plates shall be attached and shall be correct All marking should be correct, legible, properly oriented, and in complete view. All marking materials should be of permanent type. (c) 400MHz, 1000 MHz, and 10,000 MHz for plane waves. (4) Construction tightness. The shelter shall be airtight to the extent that it shall be capable of achieving and maintaining a pressurized state without leakage when tested as follows: NOTE All portions of this test shall be con-		-	•	
properly oriented, and in complete view. All marking materials should be of permanent type. All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates, and instruction plates shall be attached and shall be correct Co 400MHz, 1000 MHz, and 10,000 MHz for plane waves.	Marking	•		no mine in might impedance
Dimensions All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates, and instruction plates shall be attached and shall be correct New All marking materials should be within the allowable type. (4) Construction tightness. The shelter shall be airtight to the extent that it shall be capable of achieving and maintaining a pressurized state without leakage when tested as follows: NOTE All portions of this test shall be con-	3	properly oriented, and in complete		1000 MHz, and 10,000 MHz for
All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates, and instruction plates shall be attached and shall be correct All dimensions should be within the allowable tolerances indicated in the drawings for the particular shelter. Nameplates, aircraft loading data plates, and instruction plates shall be attached and shall be correct (4) Construction tightness. The shelter shall be airtight to the extent that it shall be capable of achieving and maintaining a pressurized state without leakage when tested as follows: NOTE All portions of this test shall be con-			_	,
allowable tolerances indicated in the drawings for the particular shelter. Nameplates and data plates Nameplates, and instruction plates shall be attached and shall be correct airtight to the extent that it shall be capable of achieving and maintaining a pressurized state without leakage when tested as follows: NOTE All portions of this test shall be con-	Dimensions		(4) Construction	n tightness. The shelter shall be
Nameplates and data plates Plates Nameplates, and instruction plates shall be attached and shall be correct Nameplates and data plates, and instruction plates shall be attached and shall be correct Without leakage when tested as follows: NOTE All portions of this test shall be con-		allowable tolerances indicated in	_	
Nameplates and data plates, aircraft loading data plates and instruction plates shall be attached and shall be correct Nameplates and data plates, aircraft loading data plates, and instruction plates shall be correct All portions of this test shall be con-				
plates plates, and instruction plates shall be attached and shall be correct All portions of this test shall be con-	Nameplates and data		without leakage wh	
be attached and shall be correct All portions of this test shall be con-			A 11	
and eigible. ducted indoors in Still air. Any leaks		be attached and shall be correct	_	
		ани ендине.	auctea inaooi	is in sum air. Any leaks

found during any portion of this test shall be corrected before proceeding with the next portion of this test. For this test to be effective it is necessary for air to pass through the inner skin of the walls and ceiling into the panel through holes or open end rivnuts. If there is a doubt that this will be the case, a 1/16 inch hole shall be drilled into the top of each structural member in the walls and in one end of each structural member in the ceiling. Do not drill into floor structural members.

(a) Shelter portion. The shelter shall be placed in a position which allows access to all exterior joints and fasteners on all surfaces. No sealant, caulking, tape etc. shall be added to the shelter except as specifically provided herein. Test fixtures and equipment shall be installed per figure 12. It may also be necessary to temporarily seal doors, covers, and air inlet assemblies for this portion of

the test. If this is necessary to achieve the required pressure differential it may be done by taping temporary shims over the door latch keepers to achieve greater gasket compression andlor temporarily using tape or a putty like material to seal gasket contact areas. (Any such, materials will be removed before proceeding with other portions of this test and shall not degrade the repaired lightweight shelter.(Clean, dry air shall be introduced into the shelter through the drain fixture. An interior differential pressure of 6.0 ± 0.3 inches of water shall be achieved and maintained. While the interior differential pressure is maintained, every joint, rivet, bolt and any other area on the shelter exterior where two pieces interface shall be painted with a soap and water solution, except the gaskets and their bearing surfaces where air will be allowed to blow through. There shall be no leak(s) as evidenced by bubbling or spurting. If there is a leak(s), rework shall be ac-



EL5VT012

Figure 12. Construction Tightness Test Fixtures and Equipment

complished. After rework the soap bubble inspection will be repeated. After successful completion of the shelter portion of this test, any temporary shims, tape or other temporary seals shall be removed. Doors, covers, and air inlet assemblies shall be readjusted for normal operation. The doors will be adjusted for proper maximum opening and closing torque according to the following table:

	Maximum Opei	rating Torque
	(ft-ll	os)
	Without EMI	With EMI
Door	Capability	Capability
S-141()/G	(See Note	(See Note
	Below)	Below)
S-144()/G	(See Note	(See Note
	Below)	Below)
S-250()/G Small Door	10	20
S-250()/G Large Door	15	25
S-280()/G	15	30
S-318()/G Small Door	15	20
S-318()/G Large Door	15	30

NOTE

Values given in the preceding table are for doors equipped with roller type latches. Older knife action type latches may not be capable of being adjusted for these maximum operating torques. In these cases, the door latch torque shall not be so high as to prevent the doors from being readily latched and unlatched.

(b) Gasket portion. After successful completion of the shelter portion of this test, the gasket seating of the doors and covers shall be tested. A piece of paper .005 inch maximum thickness by 21/2 inches wide will be used as a gage. The center of the top and bottom edges of each door, 3 places along both sides of each door, the center of the bottom of each cover, and 2 places along both sides of each cover shall be inspected as follows: The door or cover shall be closed so that the paper is between the weather gasket and its bearing surface (but not under EMI gasket if so equipped). The paper shall be withdrawn while the door or cover is closed. The absence of any resistance to the withdrawal indicates that the gasket is not touching its bearing surface. If this condition is found, the gasket compression shall be increased in the appropriate manner and this inspection shall be repeated. Obtaining correct gasket compression may entail replacing the gasket if it is in poor condition or has been installed improperly (i.e. kinked or poorly spliced). If the gasket is in good condition and has been installed properly. it may be necessary to change the thickness of the latch keeper shims, the hinge butt shims, the hinge strap shims, or the roller latch washer shims. Inspection of the particular latching mechanism being

adjusted will reveal the type of shim adjustment which is most appropriate to achieve correct gasket compression. Do not add or remove shims haphazardly. Ensure that the latches contact their respective keepers when the latch is closed. Any hinge shims changed or added during rework shall be completely coated with sealer (Item 14 or Item 15 in para 24b) before installation. (If the shelter has an EMI suppression requirement, compound no. 4660 of Chomerics, Inc., Arlington, MA, and sealer (Item 14 or Item 15 in para 24b) will be reapplied in the same location as the original material. Refinish when required in accordance with paragraph 37. Note that after any adjustments to hinges are made, the door shall be capable of opening and closing to its full extent without binding. After any rework at this stage, both the shelter portion test (including check of maximum operating torque) and the gasket portion test will be repeated.

(5) Lifting and tiedown provisions. Each shelter

provision as follows:

- (a) S-141()/G and S-280()/G shelters. These shelters shall be provided with a multiple leg sling, SC-D-36423 (NSN 5410-00-805-5533).
- (b) S-144()/G shelter. The S-144()/G shelter shall be provided with a multiple leg sling, SC-C-36302 (NSN 5410-00-774-6108.
- (c) S-250()/G shelter. The S-250()/G shelter shall be previded with a multiple leg sling, SM-D-649952 (NSN 3940-00-115-6380).
- (d) S-318()/G shelter. The S-318()/G shelter shall be provided with a multiple leg sling, SM-B-564739 (see Note 4 on this drawing).

APPENDIX A

APPLICABLE REFERENCES

1. Military Specifications

- a. MIL-R-3065, Rubber, Fabricated Parts
- b. MIL-S-6855, Rubber, Synthetic, Sheets, Strips, Molded or Extruded
- c. MIL–S–8802, Sealing Compound, Temperature-resistant, Integral Fuel Tanks and Fuel Cell Cavities, High Adhesion.
 - d. MIL-M-13231, Marking of Electronic Items.
 - e. MIL-F- 14072, Finishes for Ground Electronic Equipment.
 - f. MIL-P-23377, Primer Coating, Epoxy Polyamide, Chemical and Solvent Resistant.
 - g. MIL-E-46061, Enamel, Camouflage, Solar-And-Heat-reflecting.
 - h. MIL-L-46167, Lubricating Oil, Internal Combustion Engine, Arctic.
 - i. MIL-E-52798, Enamel, Alkyd, Camouflage.

2. Military Standards

- a. MIL-STD-1,30, Identification Marking of US Military Property.
- $\it b.\, MIL\text{-}STD\text{-}285$, Attenuation Measurements for Enclosures, Electromagnetic Shielding, for Electronic Test Purposes, Method of
 - c. MS-16562, Pin, Spring, Tubular, Slotted.

3. Federal Specifications

- a. O-T-620 Trichloroethane-1, 1, 1, Technical, Inhibited (Methyl Chloroform)
- b. P-P-121, Paper, Abrasive, Garnet
- c. GG-D-226, Depresser, Tongue
- d. QQ-A-250/11, Aluminum Alloy 6061, Plate and Sheet.
- e. TT-E-527, Enamel, Alkyd, Lusterless.
- f. TT-E-529 Enamel, Alkyd, Semi-gloss.
- g. TT-M-261, Methyl Ethyl Ketone, Technical
- h. TT-T-306, Thinner, Synthetic Resin, Enamels
- i. TT-T-548, Toluene, Technical
- j. CCC-C-440, Cloth, Cheesecloth, Cotton, Bleached and Unbleached.
- k. GGG-D-751, Drills, Twist (Taper-Square, Straight, and Taper-round Shanks)
- l. GGG-K-481, Knife, Craftsman, (Hawbill, Shoe, Chipping) Putty and Scraping.

4. Federal Standards

FED-STD-595, Color

5. CERCOM Drawings

- a. SC-C-36302, Hold Down Assembly (for S-144()/G).
- b. SC-D-36423, Hold Down Assembly (for S-141()/G and S-280(3/4/G.
- c. SC-D-82768, Aircraft Loading Data Plates for Trailer, Semi-Trailer, Shelter, Truck, and Equipment
- d. SM-B-564739, Lifting and Tiedown Assembly (for S-318()/G).
- e. SC-D-595001, Kit, Adapter for M720 Moiblizer with Shelter S-280()/G.
- f. SC-D-595002, Bracket, Adapter, Bottom
- g. SC-D-595004, Bracket. Assembly, Side
- h. SC-C-595005, Chock
- i. SM-D-649952, Sling Assembly (Lift and Tiedown Device) (for S-250()/G).
- j. SC-C-681153, S-250()/G Shelter Tiedown Adapter Assembly.
- k. SC-C-781275, Bracket, Dolly Adapter, Machined

6. Supply Bulletins

SB 11-640, Fabrication of Dunnage for Installation of Shelters, Electrical Equipment S-144, S-318, and S-250 on Truck $1\frac{1}{4}$ Ton M-880 Series.

7. Technical Bulletins

- a. TB-SIG-355-1, Depot Inspection Standard for Repaired Signal Equipment.
- b. TB-SIG-355-2, Depot Inspection Standard for Refinishing Repaired Signal Equipment.

- c. TB-SIG-355-3, Depot Inspection Standard for Moisture and Fungus Resistant Treatment.
- d. TB 11-2300-372-14, Installation of Blocking and Tiedown Kit for S-250()/G Shelters on M-561 Truck.
- e. TB 11-2300-374-14-1, Installation of Blocking and Tiedown Kits for Shelter, Electrical Equipment S-144()/G and S-318()/G on a Truck, Cargo; $1\frac{1}{4}$ Ton, 6 X 6, M561 and Truck! Cargo; $1\frac{1}{4}$ Tons, 4 X 4, M715
 - f. TB 11-5400-200-14, Loading of S-280()/G Sized Shelters into Container ANSI/ISO Type 1AA.

8. Technical Manuals

- a. TM 11–5410–205-15P, Operator's Organizational, DS, GS, and Depot Maintenance Repair Parts and Special Tools Lists: Shelters, Electrical Equipment S-144/G, S-144A/G, S-144B/G, S-144 C/G and S-144D/G.
- *b.* TM 11-5410-206-14P, Operator's Organizational, Direct Support, and General Support Maintenance Repair Parts and Special Tools List (Including Depot Maintenance Repair Parts and Special Tools): Shelter, Electrical Equipment S-141/G and S-141B/G.
- c. TM 11-5410-212-15P, Organizational, DS, GS, and Depot Maintenance Repair Parts and Special Tool Lists: Shelter Electrical Equipment S-318/G.
- d. TM 11-5410-213-14P, Operator's, Organizational, Direct Support, and General Support Maintenance Repair Parts and Special Tools Lists (Including Depot Maintenance Repair Parts and Special Tools) for Shelters, Electrical Equipment S-280A/G (NSN 5410-00-999-6022) and S-280 B/G (NSN 5410-00-117-2868).
- *e.* TM 11–5410–214– 15P, Operator, Organizational, DS, GS, and Depot Maintenance Repair Parts and Special Tool Lists for Shelter, Electrical Equipment S-250/G.
 - f. TM 38-750, The Army Maintenance Management System (TAMMS).

9. Indexes of Publications

- a. DA Pam 310-4. Refer to the latest issue of DA Pam 310-4 to determine whether there are new editions, changes, or additional publications pertaining to the equipment.
- b. DA Pam 310-7. Refer to DA Pam 310-7 to determine whether there are modification work orders (MWO'S) pertaining to the equipment. Perform all applicable modification work orders pertaining to the lightweight shelters before making the test specified.

APPENDIX B

IDENTIFYING FEATURES OF LIGHTWEIGHT SHELTERS

USE FIGURES 13 through 17 to assist in identifying lightweight shelters.




Figure 13. Shelter, Electrical Equipment S-141()/G identifying features.




Figure 14. Shelter, Electrical Equipment S-144()/G, identifying features.




Figure 15. Shelter, Electrical Equipment S-250()/G identifying features.




Figure 16. Shelter, Electrical Equipment S-280()/G identifying features.




Figure 17. Shelter, Electrical Equipment S-318()/G, identifying features.

APPENDIX C

MAINTENANCE MATERIALS

1. The following is a list of materials from which the required maintenance materials may be selected if not specifically noted in given maintenance procedure:

Description	National Stock Number
•	
Cloth, cotton cheesecloth, bleached 36 inches wide, 10 yards	
Gloves, polyethylene, 15 pair	
Tape, pressure sensitive, 1 inch wide	7610-00-266-6712
Tape, pressure sensitive, 1½ inches wide	7510-00-266-6714
Adhesive, silicone rubber, 6 oz tube, black (Dow Corning Silaetic)	
Primer foreilastic TRV891, 1-pint can, black	8030-00-845-4304
Sealing coupound, polysulfide base, black, packaged in 1½ pint double compartment can,	
3M resin EC-801 w/catalyst EC-1063	8030-00-275-8110
Thinner, synthetic resin enamel, 1-gallon can, TT-T-306	8010-00-160-5794
1,1, 1 Trichloroethane, 1-gallon can O-T-00620	
Methyl ethyl keytone, 1-gallon can TT-M-2616	6810-00-281-2785
Cloth, abrasive, grit No. 40,50-sheet sleeve	5350-00-192-9318
Cloth, abrasive, grit No.60,50-sheet sleeve	5350-00-192-5046
Cloth, abrasive, grit No.80, 50-sheet sleeve	5350-00-192-5047
Rivet, blind: Friction lock blind rivet, size ¼ inch, grip range 0.251 to 0.312	5320-00-721-5385
Rivet, blind: Friction lock blind rivet, size ¼ inch, grip range 0.313 to 0.375	
Rivet, blind: Friction lock blind rivet, size ¼ inch, grip range 0.563 to 0.625	
Rivet, blind: Friction lock blind rivet, size ¼ inch, grip range 0.626 to 0.687	
Rivet, blind: "pop" dome head, solid core, United Shoe Mfg., Co., No. AD41S,	
or equal, grip range 0.025 to 0.062, 1/8 inch dia	5320-00-957-3581
Rivet, blind: "pop" dome head, solid core, United Shoe Mfg. Co., No. AD42S,	0020 00 001 0001
or, equal, grip range 0,063 to 0.125, 1/8 inch dia	5320-00-957-3582
Rivet, blind: "pop" dome head, solid core, United Shoe Mfg. Co., No. AD43S,	0020 00 001 0002
or equal, grip range 0.126 to 0.187, 1/8 inch dia	5320-00-952-4162
Rivet, blind: "pop" dome head, solid core, United Shoe Mfg. Co., No. AD62S,	0020 00 002 1102
or equal, grip range 0.025 to 0.125, 3/16 inch dia	320 00 052 4160
Rivet, blind: "pop" dome head, solid core, United Shoe Mfg. Co., No. AD64S,	3320 -00-332-4100
or equal, grip range 0.126 to 0.250, 3/16 inch dia	5220 00 052 4140
Rivet, blind: "pop", domehead, solid core, United Shoe Mfg. Co., No.AD66S,	3320-00-332-4143
or equal, grip range 0.251 to 0.375, 3/16 inch dia	E220 00 0E2 4101
	3320-00-932-4101
Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-B-140 or equal, grip range 0.080 to 0.140, closed end	5010 00 050 0001
or equal, grip range 0.000 to 0.140, closed end	3310-00-932-3031
Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-B-200,	* 040 00 0 * 0 0000
or equal, grip range 0.140 to 0.200, closed end	5310-00-952-3632
Nut, blind rivet: "rivnut", size 5/16-18, B. F. Goodrich Part No. A31-B-125,	
or equal, grip range 0.050 to 0.125, closed end	5310-00-952-3603
Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-B-200,	
or equal, grip range 0.125 to 0.200, closed end	5310-00-952-3604
Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-B-275,	
or equal, grip range 0.200 to 0.275, closed end	.5310-00-952-3605
Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-B-350,	
or equal, grip range 0.275 to 0.350, closed end	5310-00-952-3607
Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-B-425,	
or equal, grip range 0.350 to 0.425, closed end	5310-00-952-3626
Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. SS31-B-125,	
or equal, grip range 0.050 to 0.125, closed end	5310-00-952-3634
Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. SS31-B-200,	
or equal, grip range 0.125 to 0.200, closed end	5310-00-952-3628
Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. SS31-B-500,	
or equal, grip range 0.425 to 0.500, closed end	5310-00-952-3681
Nut, blind rivet: "rivnut," size 6-32, B. F. Goodrich Part No. A6-75,	
or equal, grip range 0.010 to 0.075, open end	5310-00-082-1030
Nut, blind rivet: "rivnut," size 6-32, B. F. Goodrich Part No. A6-120,	
or equal, grip range 0.075 to 0.120, open end	5310-00-952-3444
Nut, blind rivet: "rivnut," size 6-32, B. F. Goodrich Part No. A6-160,	
or equal, grip range 0.120 to 0.160, open end	5310-00-952-3445
or edum' but range outso to outso, oben end	0010 00 006-0140

or equal, range 0.240 to 0.280,0pen end	Nut, blind rivet: "rivnut" size 6-32, B. F. Goodrich Part No. A6-280,
Nut, bilnd rivet: "rivnut." size 8-32, B. F. Goodrich Part No. A8-75, or equal, grip range 0.101 to 0.075, open end	
Nut, blind rivet: "rivnut," size 8-32, B. F. Goodrich Part No. A8-120, or equal, grip range 0.075 to 0.120, open end. Nut, blind rivet: "rivnut," size 8-32, B. F. Goodrich Part No. A8-160, or equal, grip range 0.120 to 0.180, open end. S310-00-952-3469 Nut, blind rivet: "rivnut," size 8-32, B. F. Goodrich Part No. A8-200, or equal, grip range 0.160 to 0.200, open end. S310-00-952-3470 Nut, blind rivet: "rivnut," size 8-32, B. F. Goodrich Part A8-240, or equal, grip range 0.200 to 0.240, open end. Nut, blind rivet: "rivnut," size 8-32, B. F. Goodrich Part No. A8-160, strong politic poli	Nut, blind rivet: "rivnut," size 8-32, B. F. Goodrich Part No. A8-75,
or equal, grip range 0.075 to 0.120, open end	or equal, grip range 0.010 to 0.075, open end
Nut, blind rivet: "rivnut," size 8-32, B. F. Goodrich Part No. A8-160, or equal, grip range 0.120 to 0.160, open end	
or equal, grip range 0.120 to 0.160, open end	
Nut, blind rivet: "rivnut," size 8-32, B. F. Goodrich Part No. A8-200, or equal, grip range 0.160 to 0.200, open end	
or equal, grip range 0.160 to 0.200, open end	
Nut, blind rivet: "rivnut," size 8-32, B. F. Goodrich Part No. A8-160, or equal, grip range 0.200 to 0.240, open end. Nut, blind rivet: "rivnut," size 8-32, B. F. Goodrich Part No. A10-80, or equal, grip range 0.101 to 0.080, open end. Nut, blind rivet: "rivnut," size 10-32 B. F. Goodrich Part No. A10-80, or equal, grip range 0.010 to 0.080, open end. S310-00-952-3560 Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-130, or equal, grip range 0.080 to 0.130, open end. S310-00-952-3561 Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-180, or equal, grip range 0.130 to 0.180, open end. S310-00-952-3562 Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-230, or equal, grip range 0.180 to 0.230, open end. S310-00-952-3563 Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-280, or equal, grip range 0.230 to 0.280 open end. S310-00-952-3564 Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A25-80, or equal, grip range 0.20 to 0.080, open end. S310-00-952-3562 Nut, blind rivet: "rivnut," size 14-20, B. F. Goodrich Part No. A25-200, or equal, grip range 0.20 to 0.080, open end. S310-00-952-3629 Nut, blind rivet: "rivnut," size 14-20, B. F. Goodrich Part No. A25-200, or equal, grip range 0.260 to 0.320, open end. S310-00-952-3660 Nut, blind rivet: "rivnut," size 14-20, B. F. Goodrich Part No. A25-320, or equal, grip range 0.250 to 0.300, open end. S310-00-952-3660 Nut, blind rivet: "rivnut," size 14-20, B. F. Goodrich Part No. A31-200, or equal, grip range 0.250 to 0.300, open end. S310-00-952-3560 Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-200, or equal, grip range 0.25 to 0.000, open end. S310-00-952-3560 Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-200, or equal, grip range 0.350 to 0.425, open end. S310-00-952-3560 Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-200, or equal, grip range 0.350 to 0.425, open end. S310-00-952-3600 Nut, blind rivet	Nut, blind rivet: "rivnut," size 8-32, B. F. Goodrich Part No. A8-200,
or equal, grip range 0.200 to 0.240, open end. Nut, blind rivet: "rivnut," size 8-32, B. F. Goodrich Part No. A8-160, """ rqual grip range 0.010 to 0.080, open end. Nut, blind rivet: "rivnut," size 10-32 B. F. Goodrich Part No. A10-80, or equal, grip range 0.010 to 0.080, open end. Sil0-00-952-3560 Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-130, or equal, grip range 0.080 to 0.130, open end. Sil0-00-952-3561 Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-180, or equal, grip range 0.130 to 0.180, open end. Sil0-00-952-3562 Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-230, or equal, grip range 0.180 to 0.230, open end. Sil0-00-952-3563 Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-280, or equal, grip range 0.180 to 0.230, open end. Sil0-00-952-3563 Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-280, or equal, grip range 0.230 to 0.280 open end. Sil0-00-952-3564 Nut, blind rivet: "rivnut," size 14-20, B. F. Goodrich Part No. A25-80, or equal, grip range 0.202 to 0.080, open end. Sil0-00-952-3629 Nut, blind rivet: "rivnut," size 14-20, B. F. Goodrich Part No. A25-200, or equal, grip range 0.140 to 0.200, "open end. Sil0-00-952-3606 Nut, blind rivet: "rivnut," size 14-20, B. F. Goodrich Part No. A25-320, or equal, grip range 0.260 to 0.320, open end. Sil0-00-952-3660 Nut, blind rivet: "rivnut," size 14-20, B. F. Goodrich Part No. A25-380, or equal, grip range 0.200 to 0.320, open end. Sil0-00-952-3566 Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-275, or equal, grip range 0.125 to 0.200, open end. Sil0-00-952-3560 Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-275, or equal, grip range 0.250 to 0.425, open end. Sil0-00-952-3601 Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-275, or equal, grip range 0.250 to 0.450, open end. Sil0-00-952-3601 Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-275, or equa	
Nut, blind rivet: "rivnut," size 8-32, B. F. Goodrich Part No. A8-160, # qual, gip hange 0.100 to .000, 0pen end	
Requal, grip range 0.100 to 0.000, Open end	or equal, grip range 0.200 to 0.240, open end.
Nut, blind rivet: "rivnut," size 10-32 B. F. Goodrich Part No. A10-80, or equal, grip range 0.010 to 0.080, open end	Nut, blind rivet: rivnut, Size 6-32, B. F. Goodrich Part No. A8- 100,
or equal, grip range 0.010 to 0.080, open end Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-130, or equal, grip range 0.080 to 0.130, open end Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-180, or equal, grip range 0.130 to 0.180, open end Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-230, or equal, grip range 0.180 to 0.230, open end Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-230, or equal, grip range 0.180 to 0.230, open end Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-280, or equal, grip range 0.230 to 0.280 open end Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-80, or equal, grip range 0.020 to 0.080, open end Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-80, or equal, grip range 0.020 to 0.080, open end Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-200, or equal, grip range 0.140 to 0.200," open end Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-320, or equal, grip range 0.260 to 0.320, open end Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-380, or equal, grip range 0.260 to 0.380. Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-380, or equal, grip range 0.320 to 0.380 Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-200, or equal, grip range 0.320 to 0.275, open end Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-275, or equal, grip range 0.350 to 0.245, open end Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-425, or equal, grip range 0.350 to 0.245, open end Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-425, or equal, grip range 0.350 to 0.245, open end Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-425, or equal, grip range 0.350 to 0.245, open end Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-425, or equal, grip range 0.350	
Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10- 130, or equal, grip range 0.080 to 0.130, open end	
or equal, grip range 0.080 to 0.130, open end	
Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-180, or equal, grip range 0.130 to 0.180, open end	
or equal, grip range 0.130 to 0.180, open end	01 equal, grip rainge 0.000 to 0.130, open end
Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-230, or equal, grip range 0.180 to 0.230, open end	or equal grip range 0.130 to 0.180 open end
or equal, grip range 0.180 to 0.230, open end	
Nut, blind rivet: "rivnut," size 10-32, B. F. Goodrich Part No. A10-280, or equal, grip range 0.230 to 0.280 open end	
or equal, grip range 0.230 to 0.280 open end	
Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-80, or equal, grip range 0.020 to 0.080, open end	
Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-200, or equal, grip range 0.140 to 0.200," open end	Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-80,
Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-200, or equal, grip range 0.140 to 0.200," open end	or equal, grip range 0.020 to 0.080, open end
Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-320, or equal, grip range 0.260 to 0.320, open end	Nut, blind rivet: "rivnut," size 1/4-20, B. F. Goodrich Part No. A25-200,
or equal, grip range 0.260 to 0.320, open end	
Nut, blind rivet: "rivnut, " size 1/4-20, B. F. Goodrich Part No. A25-380, or equal, grip range 0.320 to 0.380	
or equal, grip range 0.320 to 0.380	or equal, grip range 0.260 to 0.320, open end
Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-200, or equal, grip range 0.125 to 0.200, open end	Nut, blind rivet:"rivnut, " size 1/4-20, B. F. Goodrich Part No. A25-380,
or equal, grip range 0.125 to 0.200, open end	or equal, grip range 0.320 to 0.380
Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-275, or equal, grip range 0.200 to 0.275, open end	
or equal, grip range 0.200 to 0.275, open end	
Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-425, or equal, grip range 0.350 to 0.425, open end	
or equal, grip range 0.350 to 0.425, open end	
Nut, blind rivet: "rivnut," size 5/16-18, B. F. Goodrich Part No. A31-500, or equal, grip range 0.425 to 0.500, open end	or equal grip range 0.350 to 0.425, one end
or equal, grip range 0.425 to 0.500, open end	Nut blind rivet: "rivmut" size 5/16.18 R F Coodrich Part No. 431.500
Rivet, blind: Blind bolt, 1/4 inch size, Huck Mfg. Co., Part No. OSR 8F, or equal, grip range 0.351 to 0.400	or equal grin range 0.425 to 0.500 onen end
or equal, grip range 0.351 to 0.400	
	or equal, grip range 0.351 to 0.400
Rivet, blind: Blind bolt, 1/4 inch size, Huck Mfg. Co., Part No. OSR 8H.	Rivet, blind: Blind bolt, 1/4 inch size, Huck Mfg. Co., Part No. OSR 8H.
or equal, grip range 0.451 to 0.500	or equal, grip range 0.451 to 0.500

2. Polysulfide sealant instructions. Determine the amount of polysulfide sealant required and weigh 15 parts of catalyst (EC-1063) to 100 parts of resin (EC-801); use the beam-indicating scale contained in Appendix D. WARNING

Catalyst (EC-1063) contains lead. Avoid inhaling; catalyst fumes are dangerous. Make sure that adequate ventilation is provided. The catalyst is flammable; do not use near a flame. Wear protective gloves.

- a. Thoroughly stir catalyst (EC-1063) until a smooth paste is obtained. Do not spill off floating liquid.
- b. Mix catalyst (EC-1063) with resin (EC-801) to obtain the polysulfide sealant.

NOTE

The polysulfide sealant requires a minimum of 6 hours to set.

APPENDIX D

MAINTENANCE TOOLS

The following is a list of tools from which the required tools should be selected is not noted in a given maintenance procedure:

Description	NSN
Tool Kit, Electronic Equipment Shelter TK- 144/G	5180-00-973-4369
APPENDIX E (It may be desirable to order individual tools from	
this kit rather than ordering a complete kit).	
Tool Kit, Auto Mechanics	5180-00-973-2276
Scale, Beam Indicating	6670-00-952-3317
Weight Kit	6670-00-957-3318
Scraper, Paint	5110-00-952-3380
Bruch, Varnish, Flat, Chisel Edge, 2 Inches Wide	8020-00-260-1304
Graduate, liquid, laboratory, polyethylene, 32 ounce capacity	6640-00-952-3805
Pipette, volumetric (polyethylene eye dropper)	6640-00-952-3807
Gun, calking, any suitable commercial type (may use	
compatible disposable cartridges and nozzles)	NA

APPENDIX E

TOOL KIT, ELECTRONIC EQUIPMENT SHELTER

TK-144/G (FSN 5180-973-4369)

NOTE

Items of the TK- 144/G are illustrated in figure 18 which consists of three parts.

Illustration			
item No.	Quantity (ea)	Description	Federal stock No.
1	1	Saw, reciprocating, portable, electric	5310-720-0654
2	1	Drill, electric, portable, 3/8-inch cup, pistol, grip	5130-889-9001
3	1	Saw, circular, portable, electric, 2-inch diameter blade	5310-086-7243
4	6	Clamp"C," light service, 4-inch size	5120-239-8151
5	1	Wrench, torque, 5 to 150 pound-inches	5120-221-7944
6	1	Square, carpenters, 24-inch body, 16-inch tongue	5210-221-2050
7	1	Handle, file	5110-595-8325
8	1	Socket, wrench, ¼-inch opening, ¼-inch square drive	5120-236-2264
9	1	Socket, wrench, 5/16-inch opening, ¼-inch square drive	5120-232-5703
10	1	Socket, wrench, 7/16-inch opening, ¼-inch square dirve	5120-239-0016
11	1	Socket wrench, ½ inch opening, ¼-inch square drive	5120-277-4250
12	1	Awl, scratch, 3½-inch long blade	5120-221-1542
13	4	Nut, hexagonal, size 6-32	5310-085-7705
13	4	Nut, hexagonal, size 8-32	5310-062-3912
13	4	Nut, hexagonal, size 10-32	5310-062-3913
13	4	Nut, hexagonal, size ¼-20	5310-889-2541
13	4	Nut, hexagonal, size 5/16-18	5310-208-5326
14	2	Screw, machine, hexagonal head, 6-32 by 1 inch long	5305-062-6112
14	2	Screw, machine head, 8-32by 1 inch long	5305-889-2974
14	2	Screw, machine hexagonal head, 10-32 by 1 inch long	5305-062-6113
14	2	Screw, machine, hexagonal head, ¼-2 by 1½-inches long	5305-889-2976
14	2	Screw, machine, hexagonal head, 5/16-18 by 1½-inches long	5305-889-2975
15	1	Tape measure, 72 inches long	5210-287-3335
16	1	Square, combination, 12-inch blade	5110-221-2068
17	1	Clamp, "C," light service, 2-inch size	5120-293-0784
18	1	File, rotary, ½-inch diameter ¼ -inch shank 2½ inches long, medium	3455-973-6282
19	6	Drill,twist, size 30	5133-189-9275
20	6	Drill, twist, size 12	5133-189-9257
21	6	Drill, twist, size 11	5133-189-9256
22	6	Drill, twist, size 2	5133-189-9247
23	6	Drill, twist, size E	5133-239-8606
24	6	Drill, twist, size F	5133-262-2192
25	6	Drill, twist, size Q	5133-262-2165
26	6	Drill, twist, Size R	5133-262-2166
27	6	Drill, twist, Size Z	5133-262-2174
28	1	Gage, depth and angle, with hook rule	5210-203-2096
29	1	Scriber, machinest, size 1	5120-293-3408
30	1	File, hand, flat, 10 inches long, style B	5110-234-6537
31	1	Riveter, blind hand, tong type for pop rivets, with nosepiece	5110-249-2850
32	1	Riveter, blind hand, tong type for pop rivets, with nosepiece	5120-973-0377
33	1	Riveter, blind hand, for buck rivets, Huck Model 194	5120-776-1852
33	1	Nose assembly for riveter, Huck Model 194	5120-776-1855
34	1	Nippers end cutting, 7 inches long compound lever attachable blade	5110-086-7240
35	1	Shears, metal cutting, left-hand, 10 inches long	5110-273-0126
36	1	Shears, straight trimmers,9 inches long	5110-161-6912
37	1	Shears, metal cutting right-hand, 10 inches long	5110-273-0127
38	1	Riveter, blind hand, plier-type, for pop rivets, with nosepiece	5120-970-6425
39	1	Riveter, blind hand for 6-32 rivnut	5120-224-9298
39	1	Riveter, blind hand for 8-32 rivnut	5120-224-9297
39	1	Riveter, blind hand for 10-32 rivnut	5120-224-9296
39	1	Riveter, blind hand for 10-32 rivnut	5120-224-9296
40	1	Hammer, inserted face, 2-pound, 2-in. dia. face	5120-357-6076
41	1	Forceps, sheet holder, plier grip, 8 inches long	5120-221-1597

Illustration			
item No.	Quantity (ea)	Description	Federal stock No.
42	1 gross	Holder, sheet metal, 1/8 inch diameter	5120-541-1808
43	1	Wrench, open end, 5/8- and 3/8-inch openings	5120-224-3102
44	1	Riveter, blind hand, screw-type, for 5/16-18 rivnuts, with Allen wrench	5120-973-0376
44	1	Riveter, blind hand, screw-type, for 1/4-20 rivnuts, with Allen wrench	5120-970-6423
45	1	Handle, socket wrench, ratchet type, 3/8-inch-square drive	5120-240-5364
46	1	Riveter, blind hand for buck rivets, Huck Model 115	5120-792-3571
46	1	Nose assembly for riveter, Huck Model 115	5120-770-6129
	1	Mixer, paint, ¼-inch diameter shank	5130-034-4854
	1	Divider, mechanics, wingtype, 10 inches long	5210-266-7036
	1	Gasket Cement, Mystic Adhesive No. A132	8040-086-4834



Figure 18. Tool Kit, Electronic Equipment shelter TK-144/G (sheet 1 of 3).




Figure 18. Tool Kit, Electronic Equipment Shelter TK-144/G (sheet 2 of 3)




Figure 18. Tool Kit, Electronic Equipment Shelter TK-144/G (sheet 3 of 3)

BERNARD W. ROGERS General, United States Army Chief of Staff

Official:

J. C. PENNINGTON Major General, United States Army The Adjutant General

DISTRIBUTION

TILLD	711011						
Activ	ve Army:						
	USAINSCOM (2)	Army Dep (1) except					
	COE (1)	LBAD (14)					
	TSG (1)	SAAD (30)					
	USAARENBD (1)	TOAD (14)					
	DARCOM (1)	SHAD (3)					
	TRADOC (2)	USA Dep (1)					
	OS Maj Comd (4)	Sig Sec Dep (1)					
	TECOM (2)	Units org under fol TOE:					
	USACC (4)	(1 cy each unit, UNOINDC)					
	MDW (1)	29-207 (2)	6-616	32-57			
	Armies (2)	29-610 (2)	6-617	32-78			
	Corps (2)	1-207	7	32-500			
	HQ, 7th Sig Comd (5)	1-258	11-15	44-235			
	SVC Colleges (1)	5-112	11-16	44-237			
	USASIGS (5)	6-200	11-17	57			
	USAADS (2)	6-201	11-35				
	USAFAS (2)	6-365	11-37				
	USAARMS (2)	6-366	11-39				
	USAIS (2)	6-405	11-85				
	USAES (2)	6-406	11-86				
	USAICS (3)	6-407	11-87				
	MAAG (1)	6-425	11-95				
	USARMIS (1)	6-426	11-97				
	USAERDAA (1)	6-427	11-117				
	USAERDAW (1)	5-455	11-127				
	USACC-EUR (5)	6-456	11-500(AA-AC)				
	USACC-PAC (5)	6-457	17				
	USACC-SO (5)	6-525	29-41				
	Fort Gillem (10)	6-526	29-85				
	Fort Gordon (10)	6-555	29-86				
	Fort Huachuca (10)	6-556	29-87				
	Fort Carson (5)	6-576	29-134				
	Ft Monmouth (HISA) (26)	6-577	29-136				
	Ft Richardson (CERCOM) (2)	6-615	32-56				

NG: None

USAR: None

For explanation of abbreviations used, see AR 310-50,



SOMETHING WRONG WITH THIS MANUAL?

THEN...JOT DOWN THE DOPE ABOUT IT ON THIS FORM, TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

Commander

Stateside Army Depot ATTN: AMSTA-US

07703 Stateside, N.J.

DATE 10 July 1975

TEAR ALONG DOTTED LINE

DATE

TITLE

TM 11-5840 -340-12

23 Jan 74

Radar Set AN

BE EXACT PIN-POINT WHERE IT IS		REITIS	IN THIS SPACE TELL WHAT IS WRONG			
PAGE NO.	PARA- GRAPH	FIGURE NO.	TABLE NO.	AND WHAT SHOULD BE DONE ABOUT IT:		
2-25	2-28			Recommend that the installation antenna alignment procedure be changed throughout o specify a 2° IFF antenna lag rather than 1°.		
				REASON: Experience has shown that with only a 1° lag, the antenna servo system is too sensitive to wind gusting in excess of knots, and has a tendency to rapidly accelerate and celerate as it hunts, causing strain to the drive train. Hunting is minimized by adjusting the lag to 2° without degradation of operation		
3-10	3-3		3-1	Item 5, Function column. Change "2 db" to "3db."		
				REASON: The justment procedure for the TRANS POWER FAULT indicator calls for a 3 db (500 watts) adjustment to light the TRANS POWER FAULT indicator.		
5-6	5 - 8			Add new step f.l to read, "Replace cover plate removed in the e.l, above."		
,				REASON: To replace the cover plate.		
	ļ	F03	2	Zone C 3. On J1-2, change "+24 VDC to "+5 VDC."		
			S	REASON: This is the output line of the 5 VDC power supply. + 24 VDC is the input voltage.		
TYPED NA	ME, GRADE	OR TITL	-	ELEPHONE NUMBER SIGN HERE:		
SSG I. M. DeSpiritof 999-1776						

DA FORM 2028-2

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FIND," A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS

SOMETHING WRONG WITH THIS MANUAL?

THEN...JOT DOWN THE DOPE ABOUT IT ON THIS FORM, TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER

TB 43-0124

5 June 79

TITLE

Shelters, Electrical Equipment

					_		,	 	
BE EXACT	PIN-PC	INT WHE	REITIS	IN THIS SPAC	E TELL W	HAT IS WRO	ONG		
PAGE NO.	PARA- GRAPH	FIGURE NO.	TABLE NO.	AND WHAT SE	10ULD BE	DONE ABO	UT IT:		
	!								
	•								
	i								
}		j							
TYPEONA	E GRADE	OR TITLE	AND TO	LEPHONE NUME	150	SIGN HER	F.	 	
PEDNAM	E, GRADE	OK TITLE	, AND IE	LEPHONE NUMB	יבת	SIGN HER	E:		

FILL IN YOUR UNIT'S ADDRESS	FOLD BACK
	FOLD BACK
DEPARTMENT OF THE ARMY	
OFFICIAL BUSINESS	
	Commander
	US Army Communications and
	Electronics Materiel Readiness Command
	ATTN: DRSEL-ME-MQ
	Fort Monmouth, New Jersey 07703
	FOLD BACK

TEAR ALONG DOTTED LINE

THE METRIC SYSTEM AND EQUIVALENTS

'NEAR MEASURE

Centimeter = 10 Millimeters = 0.01 Meters = 0.3937 Inches

1 Meter = 100 Centimeters = 1000 Millimeters = 39.37 Inches

1 Kilometer = 1000 Meters = 0.621 Miles

YEIGHTS

Gram = 0.001 Kilograms = 1000 Milligrams = 0.035 Ounces

1 Kilogram = 1000 Grams = 2.2 lb.

1 Metric Ton = 1000 Kilograms = 1 Megagram = 1.1 Short Tons

LIQUID MEASURE

1 Milliliter = 0.001 Liters = 0.0338 Fluid Ounces

1 Liter = 1000 Milliliters = 33.82 Fluid Ounces

SQUARE MEASURE

1 Sq. Centimeter = 100 Sq. Millimeters = 0.155 Sq. Inches

1 Sq. Meter = 10,000 Sq. Centimeters = 10.76 Sq. Feet

1 Sq. Kilometer = 1,000,000 Sq. Meters = 0.386 Sq. Miles

CUBIC MEASURE

1 Cu. Centimeter = 1000 Cu. Millimeters = 0.06 Cu. Inches 1 Cu. Meter = 1,000,000 Cu. Centimeters = 35.31 Cu. Feet

TEMPERATURE

 $5/9(^{\circ}F - 32) = ^{\circ}C$

212° Fahrenheit is evuivalent to 100° Celsius

90° Fahrenheit is equivalent to 32.2° Celsius


32° Fahrenheit is equivalent to 0° Celsius

 $9/5C^{\circ} + 32 = {\circ}F$

APPROXIMATE CONVERSION FACTORS

TO CHANGE	TO	MULTIPLY BY
Inches	Centimeters	2.540
Feet	Meters	0.305
Yards	Meters	
Miles	Kilometers	
Square Inches	Square Centimeters	
Square Feet	Square Meters	
Square Yards	Square Meters	0.836
Square Miles	Square Kilometers	2.590
Acres	Square Hectometers	
Cubic Feet	Cubic Meters	
Cubic Yards	Cubic Meters	
Fluid Ounces	Milliliters	
nts	Liters	
arts	Liters	
allons	Liters	
Ounces	Grams	
Pounds	Kilograms	
Short Tons	Metric Tons	
Pound-Feet	Newton-Meters	
Pounds per Square Inch	Kilopascals	
Miles per Gallon	Kilometers per Liter	
Miles per Hour	Kilometers per Hour	
•	•	

TO CHANGE	то	MULTIPLY BY
Centimeters	Inches	0.394
Meters	Feet	3.280
Meters	Yards	
Kilometers	Miles	
Square Centimeters	Square Inches	
Square Meters	Square Feet	
Square Meters	Square Yards	1 196
Square Kilometers	Square Miles	0.386
Square Hectometers	Acres	
Cubic Meters	Cubic Feet	
Cubic Meters	Cubic Yards	
Milliliters	Fluid Ounces	
Liters	Pints	
Liters	Quarts	
'ers	Gallons	
.ms	Ounces	
.ograms	Pounds	
Metric Tons.	Short Tons	
Newton-Meters	Pounds-Feet	
Kilopascals	Pounds per Square Inch .	
ometers per Liter	Miles per Square Inch .	9 254
meters per Hour	Miles per Gallon	
miecers per mour	Miles per Hour	U.OZI



PIN: 041303-000